

Arcadia14 Medical Supplies Ltd.
Hill House, Office 117, 210 Upper Richmond
Road, Putney, London SW15 6NP
Phone: +44 203 488 3521
Enquires: info@arcadia14.co.uk
Sales: sales@arcadia14.co.uk



AMS4 | ARCADIA
MEDICAL
SUPPLIES

PRODUCTS CATALOG

Complete Range of Electrosurgical Instruments




Symbol of Quality




www.arcadia14.co.uk


Ag-Tech Non Stick



"Hot Spots" occur during coagulation.




"Hot Spots" disappear through heat transfer.




The forceps can be removed without tissue adhering to it.


Standard



"Hot Spots" occur during coagulation.



At the "Hot Spots" a critical temperature is exceeded.



Carbonized tissue is torn away with the forceps.

Ag-Tech Non Stick Technologies

- Reduce tissue adherence
- Precision tip alignment
- Aids fine control
- Light closing force
- Less fatigue
- Well balanced
- Resist abrasion, provide superb insulation
- Regular or flash autoclave, sterilization flexibility

Ag-Tech Non Stick Teknolojileri

- Doku tutunmasını azaltır
- Hassas uç ayarı
- İnce kontrole yardımcı olur
- Hafif kapatma gücü
- Daha az yorucu
- İyi dengelenmiş
- Aşınmaya dayanıklılığı, mükemmel yalıtım sağlar.
- Düzenli veya flaş autoclave, sterilizasyon esnekliği

No more undesirable tissue sticking during coagulation procedure. The forceps stay clean-virtuality eliminating the need for cleaning during coagulation. By pilling a material with excellent thermal properties for the tips which prevents the sticking of tissues, the Ag-Tech Non Stick effect is permanent and will not reduce energy level and with the use of forceps.

Artık koagülasyon prosedüründe istenmeyen doku yapışmasına son. Yeni yapışmazlık teknolojisi sayesinde, forseps temiz kalır ve koagülasyon sırasında temizleme gereksinimi neredeyse tamamen ortadan kalkar. Uçlara dokuların yapışmasını engelleyen mükemmel ısı özellikler kazandıran bir malzeme kullanılması sayesinde yapışmazlık etkisi kalıcıdır, enerji seviyesi ile ve pensetin/forsepsin kullanılmasıyla azalmayacaktır.



3-HOLE YASARGIL-STYLE FORCEPS

BAYONET (ANGLED DOWN) AŞAĞI AÇILI 610 SERIES

	0.3 Tip	0.4 Tip	0.5 Tip	0.7 Tip	1.00 Tip	1.5 Tip
15 cm	SB-500-125-03	SB-500-125-04	SB-500-125-05	SB-500-125-07	SB-500-125-10	SB-500-125-15
15 cm Non-Stick	SB-500-125-03NS	SB-500-125-04NS	SB-500-125-05NS	SB-500-125-07NS	SB-500-125-10NS	SB-500-125-15NS
18 cm	SB-500-130-03	SB-500-130-04	SB-500-130-05	SB-500-130-07	SB-500-130-10	SB-500-130-15
18 cm Non-Stick	SB-500-130-03NS	SB-500-130-04NS	SB-500-130-05NS	SB-500-130-07NS	SB-500-130-10NS	SB-500-130-15NS
20 cm	SB-500-135-03	SB-500-135-04	SB-500-135-05	SB-500-135-07	SB-500-135-10	SB-500-135-15
20 cm Non-Stick	SB-500-135-03NS	SB-500-135-04NS	SB-500-135-05NS	SB-500-135-07NS	SB-500-135-10NS	SB-500-135-15NS
22 cm	SB-500-140-03	SB-500-140-04	SB-500-140-05	SB-500-140-07	SB-500-140-10	SB-500-140-15
22 cm Non-Stick	SB-500-140-03NS	SB-500-140-04NS	SB-500-140-05NS	SB-500-140-07NS	SB-500-140-10NS	SB-500-140-15NS
24 cm	SB-500-145-03	SB-500-145-04	SB-500-145-05	SB-500-145-07	SB-500-145-10	SB-500-145-15
24 cm Non-Stick	SB-500-145-03NS	SB-500-145-04NS	SB-500-145-05NS	SB-500-145-07NS	SB-500-145-10NS	SB-500-145-15NS



Cable Cat code : 190-310

NON-STICK : No more undesirable tissue sticking during coagulation procedure. New AG-TECH non-stick technology (produced tip fully blocked silver), the forceps stay clean-virtually eliminating the need for cleaning during coagulation.

YAPIŞMAYAN TEKNOLOJİ: Yeni non-stick yapışmayan teknoloji ile uçları özel blok olarak gümüşten imal edilmiş forcepslerle coagulasyon anında uç temizleme gereksinimi ve doku yapışma sorunu tamamen ortadan kalkmıştır.

All forceps available Tip Length : 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



3-HOLE YASARGIL-STYLE FORCEPS

BAYONET (ANGLED DOWN) AŞAĞI AÇILI 610 SERIES

	0.3 Tip	0.4 Tip	0.5 Tip	0.7 Tip	1.00 Tip	1.5 Tip
15 cm	SB-500-125-03	SB-500-125-04	SB-500-125-05	SB-500-125-07	SB-500-125-10	SB-500-125-15
15 cm Non-Stick	SB-500-125-03NS	SB-500-125-04NS	SB-500-125-05NS	SB-500-125-07NS	SB-500-125-10NS	SB-500-125-15NS
18 cm	SB-500-130-03	SB-500-130-04	SB-500-130-05	SB-500-130-07	SB-500-130-10	SB-500-130-15
18 cm Non-Stick	SB-500-130-03NS	SB-500-130-04NS	SB-500-130-05NS	SB-500-130-07NS	SB-500-130-10NS	SB-500-130-15NS
20 cm	SB-500-135-03	SB-500-135-04	SB-500-135-05	SB-500-135-07	SB-500-135-10	SB-500-135-15
20 cm Non-Stick	SB-500-135-03NS	SB-500-135-04NS	SB-500-135-05NS	SB-500-135-07NS	SB-500-135-10NS	SB-500-135-15NS
22 cm	SB-500-140-03	SB-500-140-04	SB-500-140-05	SB-500-140-07	SB-500-140-10	SB-500-140-15
22 cm Non-Stick	SB-500-140-03NS	SB-500-140-04NS	SB-500-140-05NS	SB-500-140-07NS	SB-500-140-10NS	SB-500-140-15NS
24 cm	SB-500-145-03	SB-500-145-04	SB-500-145-05	SB-500-145-07	SB-500-145-10	SB-500-145-15
24 cm Non-Stick	SB-500-145-03NS	SB-500-145-04NS	SB-500-145-05NS	SB-500-145-07NS	SB-500-145-10NS	SB-500-145-15NS



Cable Cat code : 190-310

NON-STICK : No more undesirable tissue sticking during coagulation procedure. New AG-TECH non-stick technology (produced tip fully blocked silver), the forceps stay clean-virtually eliminating the need for cleaning during coagulation.

YAPIŞMAYAN TEKNOLOJİ: Yeni non-stick yapışmayan teknoloji ile uçları özel blok olarak gümüşten imal edilmiş forcepslerle coagulasyon anında uç temizleme gereksinimi ve doku yapışma sorunu tamamen ortadan kalkmıştır.

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



3-HOLE YASARGIL-STYLE FORCEPS

BAYONET (ANGLED UP) YUKARI AÇILI 610 SERIES

	0.3 Tip	0.4 Tip	0.5 Tip	0.7 Tip	1.00 Tip	1.5 Tip
15 cm	SB-500-150-03	SB-500-150-04	SB-500-150-05	SB-500-150-07	SB-500-150-10	SB-500-150-15
15 cm Non-Stick	SB-500-150-03NS	SB-500-150-04NS	SB-500-150-05NS	SB-500-150-07NS	SB-500-150-10NS	SB-500-150-15NS
18 cm	SB-500-155-03	SB-500-155-04	SB-500-155-05	SB-500-155-07	SB-500-155-10	SB-500-155-15
18 cm Non-Stick	SB-500-155-03NS	SB-500-155-04NS	SB-500-155-05NS	SB-500-155-07NS	SB-500-155-10NS	SB-500-155-15NS
20 cm	SB-500-160-03	SB-500-160-04	SB-500-160-05	SB-500-160-07	SB-500-160-10	SB-500-160-15
20 cm Non-Stick	SB-500-160-03NS	SB-500-160-04NS	SB-500-160-05NS	SB-500-160-07NS	SB-500-160-10NS	SB-500-160-15NS
22 cm	SB-500-165-03	SB-500-165-04	SB-500-165-05	SB-500-165-07	SB-500-165-10	SB-500-165-15
22 cm Non-Stick	SB-500-165-03NS	SB-500-165-04NS	SB-500-165-05NS	SB-500-165-07NS	SB-500-165-10NS	SB-500-165-15NS
24 cm	SB-500-170-03	SB-500-170-04	SB-500-170-05	SB-500-170-07	SB-500-170-10	SB-500-170-15
24 cm Non-Stick	SB-500-170-03NS	SB-500-170-04NS	SB-500-170-05NS	SB-500-170-07NS	SB-500-170-10NS	SB-500-170-15NS



Cable Cat code : 190-310

NON-STICK : No more undesirable tissue sticking during coagulation procedure. New AG-TECH non-stick technology (produced tip fully blocked silver), the forceps stay clean-virtually eliminating the need for cleaning during coagulation.

YAPIŞMAYAN TEKNOLOJİ: Yeni non-stick yapışmayan teknoloji ile uçları özel blok olarak gümüşten imal edilmiş forcepslerle coagulasyon anında uç temizleme gereksinimi ve doku yapışma sorunu tamamen ortadan kalkmıştır.

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



3-HOLE YASARGIL-STYLE FORCEPS

STRAIGHT (DÜZ) 610 SERIES

	0.3 Tip	0.4 Tip	0.5 Tip	0.7 Tip	1.00 Tip	1.5 Tip
15 cm	SB-500-175-03	SB-500-175-04	SB-500-175-05	SB-500-175-07	SB-500-175-10	SB-500-175-15
15 cm Non-Stick	SB-500-175-03NS	SB-500-175-04NS	SB-500-175-05NS	SB-500-175-07NS	SB-500-175-10NS	SB-500-175-15NS
18 cm	SB-500-180-03	SB-500-180-04	SB-500-180-05	SB-500-180-07	SB-500-180-10	SB-500-180-15
18 cm Non-Stick	SB-500-180-03NS	SB-500-180-04NS	SB-500-180-05NS	SB-500-180-07NS	SB-500-180-10NS	SB-500-180-15NS
20 cm	SB-500-185-03	SB-500-185-04	SB-500-185-05	SB-500-185-07	SB-500-185-10	SB-500-185-15
20 cm Non-Stick	SB-500-185-03NS	SB-500-185-04NS	SB-500-185-05NS	SB-500-185-07NS	SB-500-185-10NS	SB-500-185-15NS
22 cm	SB-500-185-03	SB-500-185-04	SB-500-185-05	SB-500-185-07	SB-500-185-10	SB-500-185-15
22 cm Non-Stick	SB-500-185-03NS	SB-500-185-04NS	SB-500-185-05NS	SB-500-185-07NS	SB-500-185-10NS	SB-500-185-15NS
24 cm	SB-500-190-03	SB-500-190-04	SB-500-190-05	SB-500-190-07	SB-500-190-10	SB-500-190-15
24 cm Non-Stick	SB-500-190-03NS	SB-500-190-04NS	SB-500-190-05NS	SB-500-190-07NS	SB-500-190-10NS	SB-500-190-15NS



Cable Cat code : 190-310

NON-STICK : No more undesirable tissue sticking during coagulation procedure. New AG-TECH non-stick technology (produced tip fully blocked silver), the forceps stay clean-virtually eliminating the need for cleaning during coagulation.

YAPIŞMAYAN TEKNOLOJİ: Yeni non-stick yapışmayan teknoloji ile uçları özel blok olarak gümüşten imal edilmiş forcepslerle coagulasyon anında uç temizleme gereksinimi ve doku yapışma sorunu tamamen ortadan kalkmıştır.

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code
Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



3-HOLE YASARGIL-STYLE FORCEPS

STRAIGHT ANGLED (DÜZ AÇILI) 610 SERIES

	0.3 Tip	0.4 Tip	0.5 Tip	0.7 Tip	1.00 Tip	1.5 Tip
15 cm	SB-500-195-03	SB-500-195-04	SB-500-195-05	SB-500-195-07	SB-500-195-10	SB-500-195-15
15 cm Non-Stick	SB-500-195-03NS	SB-500-195-04NS	SB-500-195-05NS	SB-500-195-07NS	SB-500-195-10NS	SB-500-195-15NS
18 cm	SB-500-200-03	SB-500-200-04	SB-500-200-05	SB-500-200-07	SB-500-200-10	SB-500-200-15
18 cm Non-Stick	SB-500-200-03NS	SB-500-200-04NS	SB-500-200-05NS	SB-500-200-07NS	SB-500-200-10NS	SB-500-200-15NS
20 cm	SB-500-205-03	SB-500-205-04	SB-500-205-05	SB-500-205-07	SB-500-205-10	SB-500-205-15
20 cm Non-Stick	SB-500-205-03NS	SB-500-205-04NS	SB-500-205-05NS	SB-500-205-07NS	SB-500-205-10NS	SB-500-205-15NS
22 cm	SB-500-210-03	SB-500-210-04	SB-500-210-05	SB-500-210-07	SB-500-210-10	SB-500-210-15
22 cm Non-Stick	SB-500-210-03NS	SB-500-210-04NS	SB-500-210-05NS	SB-500-210-07NS	SB-500-210-10NS	SB-500-210-15NS
24 cm	SB-500-215-03	SB-500-215-04	SB-500-215-05	SB-500-215-07	SB-500-215-10	SB-500-215-15
24 cm Non-Stick	SB-500-215-03NS	SB-500-215-04NS	SB-500-215-05NS	SB-500-215-07NS	SB-500-215-10NS	SB-500-215-15NS



Cable Cat code : 190-310

NON-STICK : No more undesirable tissue sticking during coagulation procedure. New AG-TECH non-stick technology (produced tip fully blocked silver), the forceps stay clean-virtually eliminating the need for cleaning during coagulation.

YAPIŞMAYAN TEKNOLOJİ: Yeni non-stick yapışmayan teknoloji ile uçları özel blok olarak gümüşten imal edilmiş forcepslerle coagulasyon anında uç temizleme gereksinimi ve doku yapışma sorunu tamamen ortadan kalkmıştır.

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



IRIS (STR) Düz Forseps

	0.5 Tip	0.7 Tip	1.0 Tip
11 cm 2 pin connector	SB-500-400-05	SB-500-400-07	SB-500-400-10
11 cm 2 pin connector Non-Stick	SB-500-400-05 NS	SB-500-400-07 NS	SB-500-400-10 NS
11 cm European connector	SB-500-405-05	SB-500-405-07	SB-500-405-10
11 cm European connector Non-Stick	SB-500-405-05 NS	SB-500-405-07 NS	SB-500-405-10 NS



IRIS (CRV) Kıvrık Forseps

	0.5 Tip	0.7 Tip	1.0 Tip
11 cm 2 pin connector	SB-500-410-05	SB-500-410-07	SB-500-410-10
11 cm 2 pin connector Non-Stick	SB-500-410-05 NS	SB-500-410-07 NS	SB-500-410-10 NS
11 cm European connector	SB-500-415-05	SB-500-415-07	SB-500-415-10
11 cm European connector Non-Stick	SB-500-415-05 NS	SB-500-415-07 NS	SB-500-415-10 NS



COAPTATION NADLER

	0.3 Tip	0.5 Tip	0.7 Tip
10 cm 2 pin connector	SB-500-420-03	SB-500-420-05	SB-500-420-07
10 cm 2 pin connector Non-Stick	SB-500-420-03 NS	SB-500-420-05 NS	SB-500-420-07 NS
10 cm European connector	SB-500-425-03 EU	SB-500-425-05 EU	SB-500-425-07 EU
10 cm European connector Non-Stick	SB-500-425-03 NSEU	SB-500-425-05 NSEU	SB-500-425-07 NSEU



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



COAPTATION

	0.3 Tip	0.5 Tip	0.7 Tip
11 cm 2 pin connector	SB-500-430-03	SB-500-430-05	SB-500-430-07
11 cm 2 pin connector Non-Stick	SB-500-430-03 NS	SB-500-430-05 NS	SB-500-430-07 NS
11 cm European connector	SB-500-435-03 EU	SB-500-435-05 EU	SB-500-435-07 EU
11 cm European connector Non-Stick	SB-500-435-03 NSEU	SB-500-435-05 NSEU	SB-500-435-07 NSEU



JEWELER #4

	0.3 Tip	0.5 Tip
11.5 cm 2 pin connector	SB-500-440-03	SB-500-440-05
11.5 cm 2 pin connector Non-Stick	SB-500-440-03 NS	SB-500-440-05 NS
11.5 cm European connector	SB-500-445-03 EU	SB-500-445-05 EU
11.5 cm European connector Non-Stick	SB-500-445-03 NSEU	SB-500-445-05 NSEU



JEWELER # 5

	0.3 Tip	0.5 Tip
11.5 cm 2 pin connector	SB-500-450-03	SB-500-450-05
11.5 cm 2 pin connector Non-Stick	SB-500-450-03 NS	SB-500-450-05 NS
11.5 cm European connector	SB-500-455-03 EU	SB-500-455-05 EU
11.5 cm European connector Non-Stick	SB-500-455-03 NSEU	SB-500-455-05 NSEU



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code
Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



JEWELER # 5 ANGLE Kırık

	0.3 Tip	0.5 Tip
11.5 cm 2 pin connector	SB-500-460-03	SB-500-460-05
11.5 cm 2 pin connector Non-Stick	SB-500-460-03 NS	SB-500-460-05 NS
11.5 cm European connector	SB-500-465-03 EU	SB-500-465-05 EU
11.5 cm European connector Non-Stick	SB-500-465-03 NSEU	SB-500-465-05 NSEU



JEWELER # 7

	0.3 Tip	0.5 Tip
11.5 cm 2 pin connector	SB-500-470-03	SB-500-470-05
11.5 cm 2 pin connector Non-Stick	SB-500-470-03 NS	SB-500-470-05 NS
11.5 cm European connector	SB-500-475-03 EU	SB-500-475-05 EU
11.5 cm European connector Non-Stick	SB-500-475-03 NSEU	SB-500-475-05 NSEU



TENZEL

	0.3 Tip	0.5 Tip
10 cm 2 pin connector	SB-500-480-03	SB-500-480-05
10 cm 2 pin connector Non-Stick	SB-500-480-03 NS	SB-500-480-05 NS
10 cm European connector	SB-500-485-03 EU	SB-500-485-05 EU
10 cm European connector Non-Stick	SB-500-485-03 NSEU	SB-500-485-05 NSEU



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code
Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.




McPHERSON (STR.) Düz Forseps

	0.3 Tip	0.5 Tip	0.7 Tip
9 cm 2 pin connector	SB-500-490-03	SB-500-490-05	SB-500-490-07
9 cm 2 pin connector Non-Stick	SB-500-490-03 NS	SB-500-490-05 NS	SB-500-490-07 NS
10 cm European connector	SB-500-495-03	SB-495-100-05	SB-500-495-07
10 cm European connector Non-Stick	SB-500-495-03 NS	SB-500-495-05 NS	SB-500-495-07 NS



McPHERSON (CRV.) Kıvrık Forseps

	0.3 Tip	0.5 Tip	0.7 Tip
9 cm 2 pin connector	SB-500-500-03	SB-500-500-05	SB-500-500-07
9 cm 2 pin connector Non-Stick	SB-500-500-03 NS	SB-500-500-05 NS	SB-500-500-07 NS
10 cm European connector	SB-500-505-03	SB-500-505-05	SB-500-505-07
10 cm European connector Non-Stick	SB-500-505-03 NS	SB-500-505-05 NS	SB-500-505-07 NS



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



ADSON

	0.5 Tip	0.7 Tip	1.0 Tip
12 cm 2 pin connector	SB-500-510-05	SB-500-510-07	SB-500-510-10
12 cm 2 pin connector Non-Stick	SB-500-510-05 NS	SB-500-510-07 NS	SB-500-510-10 NS
12 cm European connector	SB-500-515-05EU	SB-500-515-07 EU	SB-500-515-10 EU
12 cm European connector Non-Stick	SB-500-515-05 NSEU	SB-500-515-07 NSEU	SB-500-515-10 NSEU
15 cm 2 pin connector	SB-500-520-05	SB-500-520-07	SB-500-520-10
15 cm 2 pin connector Non-Stick	SB-500-520-05 NS	SB-500-520-07 NS	SB-500-520-10 NS
15 cm European connector	SB-500-525-05 EU	SB-500-525-07 EU	SB-500-525-10 EU
15 cm European connector Non-Stick	SB-500-525-05NSEU	SB-500-525-07NSEU	SB-500-525-10 NSEU



SEMINK

	0.3 Tip	0.5 Tip	0.7 Tip
14 cm 2 pin connector	SB-500-530-03	SB-500-530-05	SB-500-530-07
14 cm 2 pin connector Non-Stick	SB-500-530-03 NS	SB-500-530-05NS	SB-500-530-07 NS
14 cm European connector	SB-500-535-03EU	SB-500-535-05 EU	SB-500-535-07 EU
14 cm European connector Non-Stick	SB-500-535-03NSEU	SB-500-535-05NSEU	SB-500-535-07 NSEU



2 Pin



European

All forceps available Tip Length : 4,5 ,6,7 ,8 ,9 ,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



CUSHING

	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
15.9 cm 2 pin connector	SB-500-540-07	SB-500-540-10	SB-500-540-15	SB-500-540-20
15.9 cm 2 pin connector Non-Stick	SB-500-540-07 NS	SB-500-540-10 NS	SB-500-540-15 NS	SB-500-540-20 NS
15.9 cm European connector	SB-500-545-07EU	SB-500-545-10 EU	SB-500-545-15 EU	SB-500-545-20 EU
15.9 cm European connector Non-Stick	SB-500-545-07NSEU	SB-500-545-10NSEU	SB-500-545-15NSEU	SB-500-545-20 NSEU
17.8 cm 2 pin connector	SB-500-550-07	SB-500-550-10	SB-500-550-15	SB-500-550-20
17.8 cm 2 pin connector Non-Stick	SB-500-550-07 NS	SB-500-550-10 NS	SB-500-550-15 NS	SB-500-550-20 NS
17.8 cm European connector	SB-500-555-07 EU	SB-500-555-10 EU	SB-500-555-15 EU	SB-500-555-20 EU
17.8 cm European connector Non-Stick	SB-500-555-07NSEU	SB-500-555-10NSEU	SB-500-555-15NSEU	SB-500-555-20 NSEU



CUSHING (Grush)

	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
17.8 cm 2 pin connector	SB-500-560-07	SB-500-560-10	SB-500-560-15	SB-500-560-20
17.8 cm 2 pin connector Non-Stick	SB-500-560-07 NS	SB-500-560-10 NS	SB-500-560-15 NS	SB-500-560-20 NS
17.8 cm European connector	SB-500-565-07 EU	SB-500-565-10 EU	SB-500-565-15 EU	SB-500-565-20 EU
17.8 cm European connector Non-Stick	SB-500-565-07NSEU	SB-500-565-10NSEU	SB-500-565-15NSEU	SB-500-565-20 NSEU



NEEDLE 0.5 mm 0.7 mm 1.0 mm 1.5 mm 2.0 mm
Sample Available Tip Widths - Örnek Uç Kalınlıkları



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



GERALD (STR.)

	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
17.8 cm 2 pin connector	SB-500-570-07	SB-500-570-10	SB-500-570-15	SB-500-570-20
17.8 cm 2 pin connector Non-Stick	SB-500-570-07 NS	SB-500-570-10 NS	SB-500-570-15 NS	SB-500-570-20 NS
17.8 cm European connector	SB-500-575-07 EU	SB-500-575-10 EU	SB-500-575-15 EU	SB-500-575-20 EU
17.8 cm European connector Non-Stick	SB-500-575-07NSEU	SB-500-575-10NSEU	SB-500-575-15NSEU	SB-500-575-20 NSEU



GERALD (CRV.)

	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
17.8 cm 2 pin connector	SB-500-580-07	SB-500-580-10	SB-500-580-15	SB-500-580-20
17.8 cm 2 pin connector Non-Stick	SB-500-580-07 NS	SB-500-580-10 NS	SB-500-580-15 NS	SB-500-580-20 NS
17.8 cm European connector	SB-500-585-07 EU	SB-500-585-10 EU	SB-500-585-15 EU	SB-500-585-20 EU
17.8 cm European connector Non-Stick	SB-500-585-07NSEU	SB-500-585-10NSEU	SB-500-585-15NSEU	SB-500-585-20 NSEU



GERALD BAYONET

	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
18.4 cm 2 pin connector	SB-500-590-07	SB-500-590-10	SB-500-590-15	SB-500-590-20
18.4 cm 2 pin connector Non-Stick	SB-500-590-07 NS	SB-500-590-10 NS	SB-500-590-15 NS	SB-500-590-20 NS
18.4 cm European connector	SB-500-595-07 EU	SB-500-595-10 EU	SB-500-595-15 EU	SB-500-595-20 EU
18.4 cm European connector Non-Stick	SB-500-595-07NSEU	SB-500-595-10NSEU	SB-500-595-15NSEU	SB-500-595-20 NSEU



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



JANSEN BAYONET

	0.5 Tip	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
15.2 cm 2 pin connector	SB-500-600-05	SB-500-600-07	SB-500-600-10	SB-500-600-15	SB-500-600-20
15.2 cm 2 pin connector Non-Stick	NS	NS	NS	NS	NS
15.2 cm European connector	EU	EU	EU	EU	EU
15.2 cm European connector Non-Stick	NSEU	NSEU	NSEU	NSEU	NSEU
17.8 cm 2 pin connector	SB-500-610-05	SB-500-610-07	SB-500-610-10	SB-500-610-15	SB-500-610-20
17.8 cm 2 pin connector Non-Stick	NS	NS	NS	NS	NS
17.8 cm European connector	EU	EU	EU	EU	EU
17.8 cm European connector Non-Stick	NSEU	NSEU	NSEU	NSEU	NSEU
20.4 cm 2 pin connector	SB-500-620-05	SB-500-620-07	SB-500-620-10	SB-500-620-15	SB-500-620-20
20.4 cm 2 pin connector Non-Stick	NS	NS	NS	NS	NS
20.4 cm European connector	EU	EU	EU	EU	EU
20.4 cm European connector Non-Stick	NSEU	NSEU	NSEU	NSEU	NSEU



SCOVILLE GREENWOOD

	0.5 Tip	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
19.1 cm 2 pin connector	SB-500-630-05	SB-500-630-07	SB-500-630-10	SB-500-630-15	SB-500-630-20
19.1 cm 2 pin connector Non-Stick	NS	NS	NS	NS	NS
19.1 cm European connector	EU	EU	EU	EU	EU
19.1 cm European connector Non-Stick	NSEU	NSEU	NSEU	NSEU	NSEU



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



YASARGIL

	0.5 Tip	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
19.7 cm 2 pin connector	SB-500-640-05	SB-500-640-07	SB-500-640-10	SB-500-640-15	SB-500-640-20
19.7 cm 2 pin connector Non-Stick	SB-500-640-05 NS	SB-500-640-07 NS	SB-500-640-10 NS	SB-500-640-15 NS	SB-500-640-20 NS
19.7 cm European connector	SB-500-645-05 EU	SB-500-645-07 EU	SB-500-645-10 EU	SB-500-645-15 EU	SB-500-645-20 EU
19.7 cm European connector Non-Stick	SB-500-645-05 NSEU	SB-500-645-07 NSEU	SB-500-645-10 NSEU	SB-500-645-15 NSEU	SB-500-645-20 NSEU
22 cm 2 pin connector	SB-500-650-05	SB-500-650-07	SB-500-650-10	SB-500-650-15	SB-500-650-20
22 cm 2 pin connector Non-Stick	SB-500-650-05 NS	SB-500-650-07 NS	SB-500-650-10 NS	SB-500-650-15 NS	SB-500-650-20 NS
22 cm European connector	SB-500-655-05 EU	SB-500-655-07 EU	SB-500-655-10 EU	SB-500-655-15 EU	SB-500-655-20 EU
22 cm European connector Non-Stick	SB-500-655-05 NSEU	SB-500-655-07 NSEU	SB-500-655-10 NSEU	SB-500-655-15 NSEU	SB-500-655-20 NSEU



MALIS

	0.5 Tip	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
17.8 cm 2 pin connector	SB-500-660-05	SB-500-660-07	SB-500-660-10	SB-500-660-15	SB-500-660-20
17.8 cm 2 pin connector Non-Stick	SB-500-660-05 NS	SB-500-660-07 NS	SB-500-660-10 NS	SB-500-660-15 NS	SB-500-660-20 NS
17.8 cm European connector	SB-500-665-05 EU	SB-500-665-07 EU	SB-500-665-10 EU	SB-500-665-15 EU	SB-500-665-20 EU
17.8 cm European connector Non-Stick	SB-500-665-05 NSEU	SB-500-665-07 NSEU	SB-500-665-10 NSEU	SB-500-665-15 NSEU	SB-500-665-20 NSEU
22 cm 2 pin connector	SB-500-670-05	SB-500-670-07	SB-500-670-10	SB-500-670-15	SB-500-670-20
22 cm 2 pin connector Non-Stick	SB-500-670-05 NS	SB-500-670-07 NS	SB-500-670-10 NS	SB-500-670-15 NS	SB-500-670-20 NS
22 cm European connector	SB-500-675-05 EU	SB-500-675-07 EU	SB-500-675-10 EU	SB-500-675-15 EU	SB-500-675-20 EU
22 cm European connector Non-Stick	SB-500-675-05 NSEU	SB-500-675-07 NSEU	SB-500-675-10 NSEU	SB-500-675-15 NSEU	SB-500-675-20 NSEU



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code
Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtirsiniz.




HARDY BAYONET

	0.5 Tip	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
21.6 cm 2 pin connector	SB-500-680-05	SB-500-680-07	SB-500-680-10	SB-500-680-15	SB-500-680-20
21.6 cm 2 pin connector Non-Stick	SB-500-680-05 NS	SB-500-680-07 NS	SB-500-680-10 NS	SB-500-680-15 NS	SB-500-680-20 NS
21.6 cm European connector	SB-500-685-05 EU	SB-500-685-07 EU	SB-500-685-10 EU	SB-500-685-15 EU	SB-500-685-20 EU
21.6 cm European connector Non-Stick	SB-500-685-05 NSEU	SB-500-685-07 NSEU	SB-500-685-10 NSEU	SB-500-685-15 NSEU	SB-500-685-20 NSEU



HARDY BAYONET (ANGLED)

	0.5 Tip	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
21.6 cm 2 pin connector	SB-500-690-05	SB-500-690-07	SB-500-690-10	SB-500-690-15	SB-500-690-20
21.6 cm 2 pin connector Non-Stick	SB-500-690-05 NS	SB-500-690-07 NS	SB-500-690-10 NS	SB-500-690-15 NS	SB-500-690-20 NS
21.6 cm European connector	SB-500-695-05 EU	SB-500-695-07 EU	SB-500-695-10 EU	SB-500-695-15 EU	SB-500-695-20 EU
21.6 cm European connector Non-Stick	SB-500-695-05 NSEU	SB-500-695-07 NSEU	SB-500-695-10 NSEU	SB-500-695-15 NSEU	SB-500-695-20 NSEU



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code
Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.

JEWELER # 4
SB-500-700



JEWELER # 7
SB-500-705



ADSON
SB-500-710



POTTS-SMITH
SB-500-715



POTTS-SMITH
SB-500-720



MALIS
SB-500-725



JANSEN BAYONET
SB-500-730



JANSEN BAYONET
(ANGLED UP) SB-500-740



Cat #	Description	Tip (mm)	Size
SB-500-700	JEWELLER # 4	MICRO	4 1/2" (11.5 cm)
SB-500-705	JEWELLER # 7	MICRO	4 1/2" (11.5 cm)
SB-500-710	ADSON	1.0	4 1/2" (12.1 cm)
SB-500-715	POTTS-SMITH	2.0	7" (17.8 cm)
SB-500-717	POTTS-SMITH	2.0	8 1/4" (21.0 cm)
SB-500-720	POTTS-SMITH	2.0	9 1/2" (24.1 cm)
SB-500-725	MALIS	1.0 - 1.5	7" (17.8 cm)
SB-500-730	JANSEN BAYONET	1.5	5 1/4" (13.3 cm)
SB-500-732	JANSEN BAYONET	1.5	6 1/4" (15.9 cm)
SB-500-734	JANSEN BAYONET	2.0	7 1/2" (19.1 cm)
SB-500-736	JANSEN BAYONET	2.0	8 1/4" (21.0 cm)
SB-500-740	JANSEN BAYONET (UPWARD CURVED TIP)	2.0	7 1/2" (19.1 cm)
SB-500-742	JANSEN BAYONET (UPWARD CURVED TIP)	2.0	8 1/4" (21.0 cm)



European Bipolar Bayonet (Angled Down) Forceps

	0.5 Tip	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
15 cm European connector	SB-500-800-05	SB-500-800-07	SB-500-800-10	SB-500-800-15	SB-500-800-20
15 cm European connector Non-Stick	SB-500-800-05 NS	SB-500-800-07 NS	SB-500-800-10 NS	SB-500-800-15 NS	SB-500-800-20 NS
15 cm European connector Irrigation	SB-500-805-05 IR	SB-500-805-07 IR	SB-500-805-10 IR	SB-500-805-15 IR	SB-500-805-20 IR
15 cm European connector Non-Stick Irrigation	SB-500-805-05 NS-IR	SB-500-805-07 NS-IR	SB-500-805-10 NS-IR	SB-500-805-15 NS-IR	SB-500-805-20 NS-IR
18 cm European connector	SB-500-810-05	SB-500-810-07	SB-500-810-10	SB-500-810-15	SB-500-810-20
18 cm European connector Non-Stick	SB-500-810-05 NS	SB-500-810-07 NS	SB-500-810-10 NS	SB-500-810-15 NS	SB-500-810-20 NS
18 cm European connector Irrigation	SB-500-815-05 IR	SB-500-815-07 IR	SB-500-815-10 IR	SB-500-815-15 IR	SB-500-815-20 IR
18 cm European connector Non-Stick Irrigation	SB-500-815-05 NS-IR	SB-500-815-07 NS-IR	SB-500-815-10 NS-IR	SB-500-815-15 NS-IR	SB-500-815-20 NS-IR
20 cm European connector	SB-500-820-05	SB-500-820-07	SB-500-820-10	SB-500-820-15	SB-500-820-20
20 cm European connector Non-Stick	SB-500-820-05 NS	SB-500-820-07 NS	SB-500-820-10 NS	SB-500-820-15 NS	SB-500-820-20 NS
20 cm European connector Irrigation	SB-500-825-05 IR	SB-500-825-07 IR	SB-500-825-10 IR	SB-500-825-15 IR	SB-500-825-20 IR
20 cm European connector Non-Stick Irrigation	SB-500-825-05 NS-IR	SB-500-825-07 NS-IR	SB-500-825-10 NS-IR	SB-500-825-15 NS-IR	SB-500-825-20 NS-IR
22 cm European connector	SB-500-830-05	SB-500-830-07	SB-500-830-10	SB-500-830-15	SB-500-830-20
22 cm European connector Non-Stick	SB-500-830-05 NS	SB-500-830-07 NS	SB-500-830-10 NS	SB-500-830-15 NS	SB-500-830-20 NS
22 cm European connector Irrigation	SB-500-835-05 IR	SB-500-835-07 IR	SB-500-835-10 IR	SB-500-835-15 IR	SB-500-835-20 IR
22 cm European connector Non-Stick Irrigation	SB-500-835-05 NS-IR	SB-500-835-07 NS-IR	SB-500-835-10 NS-IR	SB-500-835-15 NS-IR	SB-500-835-20 NS-IR
24 cm European connector	SB-500-840-05	SB-500-840-07	SB-500-840-10	SB-500-840-15	SB-500-840-20
24 cm European connector Non-Stick	SB-500-840-05 NS	SB-500-840-07 NS	SB-500-840-10 NS	SB-500-840-15 NS	SB-500-840-20 NS
24 cm European connector Irrigation	SB-500-845-05 IR	SB-500-845-07 IR	SB-500-845-10 IR	SB-500-845-15 IR	SB-500-845-20 IR
24 cm European connector Non-Stick Irrigation	SB-500-845-05 NS-IR	SB-500-845-07 NS-IR	SB-500-845-10 NS-IR	SB-500-845-15 NS-IR	SB-500-845-20 NS-IR



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.

Standard olarak Normal Forcepsler Mavi ve Non-Stick Forcepsler Sivah renkte üretilmektedir.



European Bipolar Bayonet (Angled Down) Forceps

	0.5 Tip	1.0 Tip	1.5 Tip	2.0 Tip
15 cm European connector	SB-500-850-05	SB-500-850-10	SB-500-850-15	SB-500-850-20
15 cm European connector Non-Stick	SB-500-850-05 NS	SB-500-850-10 NS	SB-500-850-15 NS	SB-500-850-20 NS
15 cm European connector Irrigation	SB-500-855-05 IR	SB-500-855-10 IR	SB-500-855-15 IR	SB-500-855-20 IR
15 cm European connector Non-Stick Irrigation	SB-500-855-05 NS-IR	SB-500-855-10 NS-IR	SB-500-855-15 NS-IR	SB-500-855-20 NS-IR
18 cm European connector	SB-500-860-05	SB-500-860-10	SB-500-860-15	SB-500-860-20
18 cm European connector Non-Stick	SB-500-860-05 NS	SB-500-860-10 NS	SB-500-860-15 NS	SB-500-860-20 NS
18 cm European connector Irrigation	SB-500-865-05 IR	SB-500-865-10 IR	SB-500-865-15 IR	SB-500-865-20 IR
18 cm European connector Non-Stick Irrigation	SB-500-865-05 NS-IR	SB-500-865-10 NS-IR	SB-500-865-15 NS-IR	SB-500-865-20 NS-IR
20 cm European connector	SB-500-870-05	SB-500-870-10	SB-500-870-15	SB-500-870-20
20 cm European connector Non-Stick	SB-500-870-05 NS	SB-500-870-10 NS	SB-500-870-15 NS	SB-500-870-20 NS
20 cm European connector Irrigation	SB-500-875-05 IR	SB-500-875-10 IR	SB-500-875-15 IR	SB-500-875-20 IR
20 cm European connector Non-Stick Irrigation	SB-500-875-05 NS-IR	SB-500-875-10 NS-IR	SB-500-875-15 NS-IR	SB-500-875-20 NS-IR
22 cm European connector	SB-500-880-05	SB-500-880-10	SB-500-880-15	SB-500-880-20
22 cm European connector Non-Stick	SB-500-880-05 NS	SB-500-880-10 NS	SB-500-880-15 NS	SB-500-880-20 NS
22 cm European connector Irrigation	SB-500-885-05 IR	SB-500-885-10 IR	SB-500-885-15 IR	SB-500-885-20 IR
22 cm European connector Non-Stick Irrigation	SB-500-885-05 NS-IR	SB-500-885-10 NS-IR	SB-500-885-15 NS-IR	SB-500-885-20 NS-IR
24 cm European connector	SB-500-890-05	SB-500-890-10	SB-500-890-15	SB-500-890-20
24 cm European connector Non-Stick	SB-500-890-05 NS	SB-500-890-10 NS	SB-500-890-15 NS	SB-500-890-20 NS
24 cm European connector Irrigation	SB-500-895-05 IR	SB-500-895-10 IR	SB-500-895-15 IR	SB-500-895-20 IR
24 cm European connector Non-Stick Irrigation	SB-500-895-05 NS-IR	SB-500-895-10 NS-IR	SB-500-895-15 NS-IR	SB-500-895-20 NS-IR



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.

Standard olarak Normal Forcepsler Mavi ve Non-Stick Forcepsler Siyah renkte üretilmektedir.



European Bipolar Bayonet (Angled Up) Forceps

	0.5 Tip	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
15 cm European connector	SB-500-900-05	SB-500-900-07	SB-500-900-10	SB-500-900-15	SB-500-900-20
15 cm European connector Non-Stick	SB-500-900-05 NS	SB-500-900-07 NS	SB-500-900-10 NS	SB-500-900-15 NS	SB-500-900-20 NS
15 cm European connector Irrigation	SB-500-905-05 IR	SB-500-905-07 IR	SB-500-905-10 IR	SB-500-905-15 IR	SB-500-905-20 IR
15 cm European connector Non-Stick Irrigation	SB-500-905-05 NS-IR	SB-500-905-07 NS-IR	SB-500-905-10 NS-IR	SB-500-905-15 NS-IR	SB-500-905-20 NS-IR
18 cm European connector	SB-500-910-05	SB-500-910-07	SB-500-910-10	SB-500-910-15	SB-500-910-20
18 cm European connector Non-Stick	SB-500-910-05 NS	SB-500-910-07 NS	SB-500-910-10 NS	SB-500-910-15 NS	SB-500-910-20 NS
18 cm European connector Irrigation	SB-500-915-05 IR	SB-500-915-07 IR	SB-500-915-10 IR	SB-500-915-15 IR	SB-500-915-20 IR
18 cm European connector Non-Stick Irrigation	SB-500-915-05 NS-IR	SB-500-915-07 NS-IR	SB-500-915-10 NS-IR	SB-500-915-15 NS-IR	SB-500-915-20 NS-IR
20 cm European connector	SB-500-920-05	SB-500-920-07	SB-500-920-10	SB-500-920-15	SB-500-920-20
20 cm European connector Non-Stick	SB-500-920-05 NS	SB-500-920-07 NS	SB-500-920-10 NS	SB-500-920-15 NS	SB-500-920-20 NS
20 cm European connector Irrigation	SB-500-925-05 IR	SB-500-925-07 IR	SB-500-925-10 IR	SB-500-925-15 IR	SB-500-925-20 IR
20 cm European connector Non-Stick Irrigation	SB-500-925-05 NS-IR	SB-500-925-07 NS-IR	SB-500-925-10 NS-IR	SB-500-925-15 NS-IR	SB-500-925-20 NS-IR
22 cm European connector	SB-500-930-05	SB-500-930-07	SB-500-930-10	SB-500-930-15	SB-500-930-20
22 cm European connector Non-Stick	SB-500-930-05 NS	SB-500-930-07 NS	SB-500-930-10 NS	SB-500-930-15 NS	SB-500-930-20 NS
22 cm European connector Irrigation	SB-500-935-05 IR	SB-500-935-07 IR	SB-500-935-10 IR	SB-500-935-15 IR	SB-500-935-20 IR
22 cm European connector Non-Stick Irrigation	SB-500-935-05 NS-IR	SB-500-935-07 NS-IR	SB-500-935-10 NS-IR	SB-500-935-15 NS-IR	SB-500-935-20 NS-IR
24 cm European connector	SB-500-940-05	SB-500-940-07	SB-500-940-10	SB-500-940-15	SB-500-940-20
24 cm European connector Non-Stick	SB-500-940-05 NS	SB-500-940-07 NS	SB-500-940-10 NS	SB-500-940-15 NS	SB-500-940-20 NS
24 cm European connector Irrigation	SB-500-945-05 IR	SB-500-945-07 IR	SB-500-945-10 IR	SB-500-945-15 IR	SB-500-945-20 IR
24 cm European connector Non-Stick Irrigation	SB-500-945-05 NS-IR	SB-500-945-07 NS-IR	SB-500-945-10 NS-IR	SB-500-945-15 NS-IR	SB-500-945-20 NS-IR



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.

Standard olarak Normal Forcepsler Mavi ve Non-Stick Forcepsler Siyah renkte üretilmektedir.



European Bipolar Bayonet (Angled Up) Forceps

	0.5 Tip	1.0 Tip	1.5 Tip	2.0 Tip
15 cm European connector	SB-500-950-05	SB-500-950-10	SB-500-950-15	SB-500-950-20
15 cm European connector Non-Stick	SB-500-950-05 NS	SB-500-950-10 NS	SB-500-950-15 NS	SB-500-950-20 NS
15 cm European connector Irrigation	SB-500-955-05 IR	SB-500-955-10 IR	SB-500-955-15 IR	SB-500-955-20 IR
15 cm European connector Non-Stick Irrigation	SB-500-955-05 NS-IR	SB-500-955-10 NS-IR	SB-500-955-15 NS-IR	SB-500-955-20 NS-IR
18 cm European connector	SB-500-960-05	SB-500-960-10	SB-500-960-15	SB-500-960-20
18 cm European connector Non-Stick	SB-500-960-05 NS	SB-500-960-10 NS	SB-500-960-15 NS	SB-500-960-20 NS
18 cm European connector Irrigation	SB-500-965-05 IR	SB-500-965-10 IR	SB-500-965-15 IR	SB-500-965-20 IR
18 cm European connector Non-Stick Irrigation	SB-500-965-05 NS-IR	SB-500-965-10 NS-IR	SB-500-965-15 NS-IR	SB-500-965-20 NS-IR
20 cm European connector	SB-500-970-05	SB-500-970-10	SB-500-970-15	SB-500-970-20
20 cm European connector Non-Stick	SB-500-970-05 NS	SB-500-970-10 NS	SB-500-970-15 NS	SB-500-970-20 NS
20 cm European connector Irrigation	SB-500-975-05 IR	SB-500-975-10 IR	SB-500-975-15 IR	SB-500-975-20 IR
20 cm European connector Non-Stick Irrigation	SB-500-975-05 NS-IR	SB-500-975-10 NS-IR	SB-500-975-15 NS-IR	SB-500-975-20 NS-IR
22 cm European connector	SB-500-980-05	SB-500-980-10	SB-500-980-15	SB-500-980-20
22 cm European connector Non-Stick	SB-500-980-05 NS	SB-500-980-10 NS	SB-500-980-15 NS	SB-500-980-20 NS
22 cm European connector Irrigation	SB-500-985-05 IR	SB-500-985-10 IR	SB-500-985-15 IR	SB-500-985-20 IR
22 cm European connector Non-Stick Irrigation	SB-500-985-05 NS-IR	SB-500-985-10 NS-IR	SB-500-985-15 NS-IR	SB-500-985-20 NS-IR
24 cm European connector	SB-500-990-05	SB-500-990-10	SB-500-990-15	SB-500-990-20
24 cm European connector Non-Stick	SB-500-990-05 NS	SB-500-990-10 NS	SB-500-990-15 NS	SB-500-990-20 NS
24 cm European connector Irrigation	SB-500-995-05 IR	SB-995-202-10 IR	SB-500-995-15 IR	SB-500-995-20 IR
24 cm European connector Non-Stick Irrigation	SB-500-995-05 NS-IR	SB-500-995-10 NS-IR	SB-500-995-15 NS-IR	SB-500-995-20 NS-IR



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code


Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.

Standard olarak Normal Forcepsler Mavi ve Non-Stick Forcepsler Sivah renkte üretilmektedir.



European Bipolar Bayonet Forceps

	0.5 Tip	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
15 cm European connector	SB-500-1000-05	SB-500-1000-07	SB-500-1000-10	SB-500-1000-15	SB-500-1000-20
15 cm European connector Non-Stick	SB-500-1000-05 NS	SB-500-1000-07 NS	SB-500-1000-10 NS	SB-500-1000-15 NS	SB-500-1000-20 NS
15 cm European connector Irrigation	SB-500-1005-05 IR	SB-500-1005-07 IR	SB-500-1005-10 IR	SB-500-1005-15 IR	SB-500-1005-20 IR
15 cm European connector Non-Stick Irrigation	SB-500-1005-05 NS-IR	SB-500-1005-07 NS-IR	SB-500-1005-10 NS-IR	SB-500-1005-15 NS-IR	SB-500-1005-20 NS-IR
18 cm European connector	SB-500-1010-05	SB-500-1010-07	SB-500-1010-10	SB-500-1010-15	SB-500-1010-20
18 cm European connector Non-Stick	SB-500-1010-05 NS	SB-500-1010-07 NS	SB-500-1010-10 NS	SB-500-1010-15 NS	SB-500-1010-20 NS
18 cm European connector Irrigation	SB-500-1015-05 IR	SB-500-1015-07 IR	SB-500-1015-10 IR	SB-500-1015-15 IR	SB-500-1015-20 IR
18 cm European connector Non-Stick Irrigation	SB-500-1015-05 NS-IR	SB-500-1015-07 NS-IR	SB-500-1015-10 NS-IR	SB-500-1015-15 NS-IR	SB-500-1015-20 NS-IR
20 cm European connector	SB-500-1020-05	SB-500-1020-07	SB-500-1020-10	SB-500-1020-15	SB-500-1020-20
20 cm European connector Non-Stick	SB-500-1020-05 NS	SB-500-1020-07 NS	SB-500-1020-10 NS	SB-500-1020-15 NS	SB-500-1020-20 NS
20 cm European connector Irrigation	SB-500-1025-05 IR	SB-500-1025-07 IR	SB-500-1025-10 IR	SB-500-1025-15 IR	SB-500-1025-20 IR
20 cm European connector Non-Stick Irrigation	SB-500-1025-05 NS-IR	SB-1025-180-07 NS-IR	SB-500-1025-10 NS-IR	SB-500-1025-15 NS-IR	SB-500-1025-20 NS-IR
22 cm European connector	SB-500-1030-05	SB-500-1030-07	SB-500-1030-10	SB-500-1030-15	SB-500-1030-20
22 cm European connector Non-Stick	SB-500-1030-05 NS	SB-500-1030-07 NS	SB-500-1030-10 NS	SB-500-1030-15 NS	SB-500-1030-20 NS
22 cm European connector Irrigation	SB-500-1035-05 IR	SB-500-1035-07 IR	SB-500-1035-10 IR	SB-500-1035-15 IR	SB-500-1035-20 IR
22 cm European connector Non-Stick Irrigation	SB-500-1035-05 NS-IR	SB-500-1035-07 NS-IR	SB-500-1035-10 NS-IR	SB-500-1035-15 NS-IR	SB-500-1035-20 NS-IR
24 cm European connector	SB-500-1040-05	SB-500-1040-07	SB-500-1040-10	SB-500-1040-15	SB-500-1040-20
24 cm European connector Non-Stick	SB-500-1040-05 NS	SB-500-1040-07 NS	SB-500-1040-10 NS	SB-500-1040-15 NS	SB-500-1040-20 NS
24 cm European connector Irrigation	SB-500-1045-05 IR	SB-500-1045-07 IR	SB-500-1045-10 IR	SB-500-1045-15 IR	SB-500-1045-20 IR
24 cm European connector Non-Stick Irrigation	SB-500-1045-05 NS-IR	SB-500-1045-07 NS-IR	SB-500-1045-10 NS-IR	SB-500-1045-15 NS-IR	SB-500-1045-20 NS-IR



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.

Standard olarak Normal Forcepsler Mavi ve Non-Stick Forcepsler Siyah renkte üretilmektedir.



European Bipolar Bayonet Forceps

	1.0 Tip	1.3 Tip	1.5 Tip	2.0 Tip
15 cm European connector	SB-500-1050-10	SB-500-1050-13	SB-500-1050-15	SB-500-1050-20
15 cm European connector Non-Stick	SB-500-1050-10 NS	SB-500-1050-13 NS	SB-500-1050-15 NS	SB-500-1050-20 NS
15 cm European connector Irrigation	SB-500-1055-10 IR	SB-500-1055-13 IR	SB-500-1055-15 IR	SB-500-1055-20 IR
15 cm European connector Non-Stick Irrigation	SB-500-1055-10 NSIR	SB-500-1055-13 NSIR	SB-500-1055-15 NSIR	SB-500-1055-20 NSIR
18 cm European connector	SB-500-1060-10	SB-500-1060-13	SB-500-1060-15	SB-500-1060-20
18 cm European connector Non-Stick	SB-500-1060-10 NS	SB-500-1060-13 NS	SB-500-1060-15 NS	SB-500-1060-20 NS
18 cm European connector Irrigation	SB-500-1065-10 IR	SB-500-1065-13 IR	SB-500-1065-15 IR	SB-500-1065-20 IR
18 cm European connector Non-Stick Irrigation	SB-500-1065-10 NS-IR	SB-500-1065-13 NS-IR	SB-500-1065-15 NS-IR	SB-500-1065-20 NS-IR
20 cm European connector	SB-500-1070-10	SB-500-1070-13	SB-500-1070-15	SB-500-1070-20
20 cm European connector Non-Stick	SB-500-1070-10 NS	SB-500-1070-13 NS	SB-500-1070-15 NS	SB-500-1070-20 NS
20 cm European connector Irrigation	SB-500-1075-10 IR	SB-500-1075-13 IR	SB-500-1075-15 IR	SB-500-1075-20 IR
20 cm European connector Non-Stick Irrigation	SB-500-1075-10 NS-IR	SB-500-1075-13 NS-IR	SB-500-1075-15 NS-IR	SB-500-1075-20 NS-IR
22 cm European connector	SB-500-1080-10	SB-500-1080-13	SB-500-1080-15	SB-500-1080-20
22 cm European connector Non-Stick	SB-500-1080-10 NS	SB-500-1080-13 NS	SB-500-1080-15 NS	SB-500-1080-20 NS
22 cm European connector Irrigation	SB-500-1085-10 IR	SB-500-1085-13 IR	SB-500-1085-15 IR	SB-500-1085-20 IR
22 cm European connector Non-Stick Irrigation	SB-500-1085-10 NSIR	SB-500-1085-13 NSIR	SB-500-1085-15 NSIR	SB-500-1085-20 NSIR
24 cm European connector	SB-500-1090-10	SB-500-1090-13	SB-500-1090-15	SB-500-1090-20
24 cm European connector Non-Stick	SB-500-1090-10 NS	SB-500-1090-13 NS	SB-500-1090-15 NS	SB-500-1090-20 NS
24 cm European connector Irrigation	SB-500-1095-10 IR	SB-500-1095-13 IR	SB-500-1095-15 IR	SB-500-1095-20 IR
24 cm European connector Non-Stick Irrigation	SB-500-1095-10 NS-IR	SB-500-1095-13 NS-IR	SB-500-1095-15 NS-IR	SB-500-1095-20 NS-IR



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.

Standard olarak Normal Forcepsler Mavi ve Non-Stick Forcepsler Siyah renkte üretilmektedir.



European Bipolar Straight Angled Forceps

	0.5 Tip	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
15 cm European connector	SB-500-1100-05	SB-500-1100-07	SB-500-1100-10	SB-500-1100-15	SB-500-1100-20
15 cm European connector Non-Stick	SB-500-1100-05 NS	SB-500-1100-07 NS	SB-500-1100-10 NS	SB-500-1100-15 NS	SB-500-1100-20 NS
15 cm European connector Irrigation	SB-500-1105-05 IR	SB-500-1105-07 IR	SB-500-1105-10 IR	SB-500-1105-15 IR	SB-500-1105-20 IR
15 cm European connector Non-Stick Irrigation	SB-500-1105-05 NS-IR	SB-500-1105-07 NS-IR	SB-500-1105-10 NSIR	SB-500-1105-15 NS-IR	SB-500-1100-20 NS-IR
18 cm European connector	SB-500-1110-05	SB-500-1110-07	SB-500-1110-10	SB-500-1110-15	SB-500-1110-20
18 cm European connector Non-Stick	SB-500-1110-05 NS	SB-500-1110-07 NS	SB-500-1110-10 NS	SB-500-1110-15 NS	SB-500-1110-20 NS
18 cm European connector Irrigation	SB-500-1115-05 IR	SB-500-1115-07 IR	SB-500-1115-10 IR	SB-500-1115-15 IR	SB-500-1115-20 IR
18 cm European connector Non-Stick Irrigation	SB-500-1115-05 NS-IR	SB-500-1115-07 NS-IR	SB-500-1115-10 NSIR	SB-500-1115-15 NS-IR	SB-500-1115-20 NS-IR
20 cm European connector	SB-500-1120-05	SB-500-1120-07	SB-500-1120-10	SB-500-1120-15	SB-500-1115-20
20 cm European connector Non-Stick	SB-500-1120-05 NS	SB-500-1120-07 NS	SB-500-1120-10 NS	SB-500-1120-15 NS	SB-500-1120-20 NS
20 cm European connector Irrigation	SB-500-1125-05 IR	SB-500-1125-07 IR	SB-500-1125-10 IR	SB-500-1125-15 IR	SB-500-1125-20 IR
20 cm European connector Non-Stick Irrigation	SB-500-1125-05 NS-IR	SB-500-1125-07 NS-IR	SB-500-1125-10 NSIR	SB-500-1125-15 NS-IR	SB-500-1125-20 NS-IR
22 cm European connector	SB-500-1130-05	SB-500-1130-07	SB-500-1130-10	SB-500-1130-15	SB-500-1130-20
22 cm European connector Non-Stick	SB-500-1130-05 NS	SB-500-1130-07 NS	SB-500-1130-10 NS	SB-500-1130-15 NS	SB-500-1130-20 NS
22 cm European connector Irrigation	SB-500-1135-05 IR	SB-500-1135-07 IR	SB-500-1135-10 IR	SB-500-1135-15 IR	SB-500-1135-20 IR
22 cm European connector Non-Stick Irrigation	SB-500-1135-05 NS-IR	SB-500-1135-07 NS-IR	SB-500-1135-10 NSIR	SB-500-1135-15 NS-IR	SB-500-1135-20 NS-IR
24 cm European connector	SB-500-1140-05	SB-500-1140-07	SB-500-1140-10	SB-500-1140-15	SB-500-1140-20
24 cm European connector Non-Stick	SB-500-1140-05 NS	SB-500-1140-07 NS	SB-500-1140-10 NS	SB-500-1140-15 NS	SB-500-1140-20 NS
24 cm European connector Irrigation	SB-500-1145-05 IR	SB-500-1145-07 IR	SB-500-1145-10 IR	SB-500-1145-15 IR	SB-500-1145-20 IR
24 cm European connector Non-Stick Irrigation	SB-500-1145-05 NS-IR	SB-500-1145-07 NS-IR	SB-500-1145-10 NSIR	SB-500-1145-15 NS-IR	SB-500-1145-20 NS-IR



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz..

Standard olarak Normal Forcepsler Mavi ve Non-Stick Forcepsler Siyah renkte üretilmektedir.



European Bipolar Straight Angled Forceps

	0.5 Tip	1.0 Tip	1.5 Tip	2.0 Tip
15 cm European connector	SB-500-1150-05	SB-500-1150-10	SB-500-1150-15	SB-500-1150-20
15 cm European connector Non-Stick	SB-500-1150-05 NS	SB-500-1150-10 NS	SB-500-1150-15 NS	SB-500-1150-20 NS
15 cm European connector Irrigation	SB-500-1155-05 IR	SB-500-1155-10 IR	SB-500-1155-15 IR	SB-500-1155-20 IR
15 cm European connector Non-Stick Irrigation	SB-500-1150-05 NS-IR	SB-500-1150-10 NS-IR	SB-500-1150-15 NS-IR	SB-500-1150-20 NS-IR
18 cm European connector	SB-500-1155-05	SB-500-1155-10	SB-500-1155-15	SB-500-1155-20
18 cm European connector Non-Stick	SB-500-1155-05 NS	SB-500-1155-10 NS	SB-500-1155-15 NS	SB-500-1155-20 NS
18 cm European connector Irrigation	SB-500-1160-05 IR	SB-500-1160-10 IR	SB-500-1160-15 IR	SB-500-1160-20 IR
18 cm European connector Non-Stick Irrigation	SB-500-1160-05 NS-IR	SB-500-1160-10 NS-IR	SB-500-1160-15 NS-IR	SB-500-1160-20 NS-IR
20 cm European connector	SB-500-1165-05	SB-500-1165-10	SB-500-1165-15	SB-500-1165-20
20 cm European connector Non-Stick	SB-500-1165-05 NS	SB-500-1165-10 NS	SB-500-1165-15 NS	SB-500-1165-20 NS
20 cm European connector Irrigation	SB-500-1170-05 IR	SB-500-1170-10 IR	SB-500-1170-15 IR	SB-500-1170-20 IR
20 cm European connector Non-Stick Irrigation	SB-500-1170-05 NS-IR	SB-500-1170-10 NS-IR	SB-500-1170-15 NS-IR	SB-500-1170-20 NS-IR
22 cm European connector	SB-500-1175-05	SB-500-1175-10	SB-500-1175-15	SB-500-1175-20
22 cm European connector Non-Stick	SB-500-1175-05 NS	SB-500-1175-10 NS	SB-500-1175-15 NS	SB-500-1175-20 NS
22 cm European connector Irrigation	SB-500-1180-05 IR	SB-500-1180-10 IR	SB-500-1180-15 IR	SB-500-1180-20 IR
22 cm European connector Non-Stick Irrigation	SB-500-1180-05 NS-IR	SB-500-1180-10 NS-IR	SB-500-1180-15 NS-IR	SB-500-1180-20 NS-IR
24 cm European connector	SB-500-1185-05	SB-500-1185-10	SB-500-1185-15	SB-500-1185-20
24 cm European connector Non-Stick	SB-500-1185-05 NS	SB-500-1185-10 NS	SB-500-1185-15 NS	SB-500-1185-20 NS
24 cm European connector Irrigation	SB-500-1190-05 IR	SB-500-1190-10 IR	SB-500-1190-15 IR	SB-500-1190-20 IR
24 cm European connector Non-Stick Irrigation	SB-500-1190-05 NS-IR	SB-500-1190-10 NS-IR	SB-500-1190-15 NS-IR	SB-500-1190-20 NS-IR



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.

Standard olarak Normal Forcepsler Mavi ve Non-Stick Forcepsler Siyah renkte üretilmektedir.



European Bipolar Straight Forceps

	0.5 Tip	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
15 cm European connector	SB-500-1195-05	SB-500-1195-07	SB-500-1195-10	SB-500-1195-15	SB-500-1195-20
15 cm European connector Non-Stick	SB-500-1195-05 NS	SB-500-1195-07 NS	SB-500-1195-10 NS	SB-500-1195-15 NS	SB-500-1195-20 NS
15 cm European connector Irrigation	SB-500-1200-05 IR	SB-500-1200-07 IR	SB-500-1200-10 IR	SB-310-1200-15 IR	SB-310-1200-20 IR
15 cm European connector Non-Stick Irrigation	SB-500-1200-05 NS-IR	SB-500-1200-07 NS-IR	SB-500-1200-10 NS-IR	SB-500-1200-15 NS-IR	SB-500-1200-20 NS-IR
18 cm European connector	SB-500-1205-05	SB-500-1205-07	SB-500-1205-10	SB-500-1205-15	SB-500-1205-20
18 cm European connector Non-Stick	SB-500-1205-05 NS	SB-500-1205-07 NS	SB-500-1205-10 NS	SB-500-1205-15 NS	SB-500-1205-20 NS
18 cm European connector Irrigation	SB-500-1210-05 IR	SB-500-1210-07 IR	SB-500-1210-10 IR	SB-500-1210-15 IR	SB-500-1210-20 IR
18 cm European connector Non-Stick Irrigation	SB-500-1210-05 NS-IR	SB-500-1210-07 NS-IR	SB-500-1210-10 NS-IR	SB-500-1210-15 NS-IR	SB-500-1210-20 NS-IR
20 cm European connector	SB-500-1215-05	SB-500-1215-07	SB-500-1215-10	SB-500-1215-15	SB-500-1215-20
20 cm European connector Non-Stick	SB-500-1215-05 NS	SB-500-1215-07 NS	SB-500-1215-10 NS	SB-500-1215-15 NS	SB-500-1215-20 NS
20 cm European connector Irrigation	SB-500-1220-05 IR	SB-500-1220-07 IR	SB-500-1220-10 IR	SB-500-1220-15 IR	SB-500-1220-20 IR
20 cm European connector Non-Stick Irrigation	SB-500-1220-05 NS-IR	SB-500-1220-06 NS-IR	SB-500-1220-10 NS-IR	SB-500-1220-15 NS-IR	SB-500-1220-20 NS-IR
22 cm European connector	SB-500-1225-05	SB-500-1225-07	SB-500-1225-10	SB-500-1225-15	SB-500-1225-20
22 cm European connector Non-Stick	SB-500-1225-05 NS	SB-500-1225-07 NS	SB-500-1225-10 NS	SB-500-1225-15 NS	SB-500-1225-20 NS
22 cm European connector Irrigation	SB-500-1230-05 IR	SB-500-1230-07 IR	SB-500-1230-10 IR	SB-500-1230-15 IR	SB-500-1230-20 IR
22 cm European connector Non-Stick Irrigation	SB-500-1230-05 NS-IR	SB-500-1230-07 NS-IR	SB-500-1230-10 NS-IR	SB-500-1230-15 NS-IR	SB-500-1230-20 NS-IR
24 cm European connector	SB-500-1235-05	SB-500-1235-07	SB-500-1235-10	SB-500-1235-15	SB-500-1235-20
24 cm European connector Non-Stick	SB-500-1235-05 NS	SB-500-1235-07 NS	SB-500-1235-10 NS	SB-500-1235-15 NS	SB-500-1235-20 NS
24 cm European connector Irrigation	SB-500-1240-05 IR	SB-500-1240-07 IR	SB-500-1240-10 IR	SB-500-1240-15 IR	SB-500-1240-20 IR
24 cm European connector Non-Stick Irrigation	SB-500-1240-05 NS-IR	SB-500-1240-07 NS-IR	SB-500-1240-07 NS-IR	SB-500-1240-15 NS-IR	SB-500-1240-20 NS-IR



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.

Standard olarak Normal Forcepsler Mavi ve Non-Stick Forcepsler Siyah renkte üretilmektedir.



European Bipolar Straight Forceps

	1.0 Tip	1.3 Tip	1.5 Tip	2.0 Tip
15 cm European connector	SB-500-1245-10	SB-500-1245-13	SB-500-1245-15	SB-500-1245-20
15 cm European connector Non-Stick	SB-500-1245-10 NS	SB-500-1245-13 NS	SB-500-1245-15 NS	SB-500-1245-20 NS
15 cm European connector Irrigation	SB-500-1250-10 IR	SB-500-1250-13 IR	SB-500-1250-15 IR	SB-500-1250-20 IR
15 cm European connector Non-Stick Irrigation	SB-500-1250-10 NS-IR	SB-500-1250-13 NS-IR	SB-500-1250-15 NS-IR	SB-500-1250-20 NS-IR
18 cm European connector	SB-500-1255-10	SB-500-1255-13	SB-500-1255-15	SB-500-1255-20
18 cm European connector Non-Stick	SB-500-1255-10 NS	SB-500-1255-13 NS	SB-500-1255-15 NS	SB-500-1255-20 NS
18 cm European connector Irrigation	SB-500-1260-10 IR	SB-500-1260-13 IR	SB-500-1260-15 IR	SB-500-1260-20 IR
18 cm European connector Non-Stick Irrigation	SB-500-1260-10 NS-IR	SB-500-1260-13 NS-IR	SB-500-1260-15 NS-IR	SB-500-1260-20 NS-IR
20 cm European connector	SB-500-1265-10	SB-500-1265-13	SB-500-1265-15	SB-500-1265-20
20 cm European connector Non-Stick	SB-500-1265-10 NS	SB-500-1265-13 NS	SB-500-1265-15 NS	SB-500-1265-20 NS
20 cm European connector Irrigation	SB-500-1270-10 IR	SB-500-1270-13 IR	SB-500-1270-15 IR	SB-500-1270-20 IR
20 cm European connector Non-Stick Irrigation	SB-500-1270-10 NS-IR	SB-500-1270-13 NS-IR	SB-500-1270-15 NS-IR	SB-500-1270-20 NS-IR
22 cm European connector	SB-500-1275-10	SB-500-1275-13	SB-500-1275-15	SB-500-1275-20
22 cm European connector Non-Stick	SB-500-1275-10 NS	SB-500-1275-13 NS	SB-500-1275-15 NS	SB-500-1275-20 NS
22 cm European connector Irrigation	SB-500-1280-10 IR	SB-500-1280-13 IR	SB-500-1280-15 IR	SB-500-1280-20 IR
22 cm European connector Non-Stick Irrigation	SB-500-1280-12 NS-IR	SB-500-1280-13 NS-IR	SB-500-1280-15 NS-IR	SB-500-1280-20 NS-IR
24 cm European connector	SB-500-1285-10	SB-500-1285-13	SB-500-1285-15	SB-500-1285-20
24 cm European connector Non-Stick	SB-500-1285-12 NS	SB-500-1285-13 NS	SB-500-1285-15 NS	SB-500-1285-20 NS
24 cm European connector Irrigation	SB-500-1290-10 IR	SB-500-1290-13 IR	SB-500-1290-15 IR	SB-500-1290-20 IR
24 cm European connector Non-Stick Irrigation	SB-500-1290-10 NS-IR	SB-500-1290-13 NS-IR	SB-500-1290-15 NS-IR	SB-500-1290-20 NS-IR



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.

Standard olarak Normal Forcepsler Mavi ve Non-Stick Forcepsler Siyah renkte üretilmektedir.

BAYONET
SB-700-100-IR



BAYONET
SB-700-105-IR



BAYONET
SB-700-110-IR



BAYONET
SB-700-115-
IR



JEWELER # 4
SB-700-120 HS




SEMKIN
SB-700-125 HS



JANSEN BAYONET
SB-700-130 HS



SCOVILLE-GREENWOOD
SB-700-135 HS



Cat #	Description	Tip (mm)	Size
SB-700-120HS	JEWELLER # 4	0.5	4½" (11.5 cm)
SB-700-125HS	SEMKN	0.75	5½" (14.0 cm)
SB-700-130HS	JANSEN BAYONET	0.75	7½" (19.1 cm)
SB-700-135HS	SCOVILLE-GREENWOOD	1.5	7¾" (19.7 cm)

JANSEN BAYONET
SB-700-140 HS



JANSEN BAYONET
SB-700-145 HS



POTTS-SMITH
SB-700-150 HS



POTTS-SMITH
SB-700-155 HS



Cat #	Description	Tip (mm)	Size
SB-700-140 HS	JANSEN BAYONET	2.0	5½" (14.0 cm)
SB-700-145 HS	JANSEN BAYONET	2.0	7½" (19.0 cm)
SB-700-150 HS	JANSEN BAYONET	2.0	8¾" (21.0 cm)
SB-700-155 HS	POTTS-SMITH	2.0	7" (18.0 cm)
SB-700-160 HS	POTTS-SMITH	2.0	8¾" (21.0 cm)
SB-700-165 HS	POTTS-SMITH	2.0	9½" (24.0 cm)



GERALD (Str)
SB-700-170



JANSEN BAYONET
(IRRIGATION)
SB-700-175 IR



JANSEN BAYONET
SB-700-180



JEWELER #5
SB-700-185



ADSON
SB-700-190



DISPOSABLE BIPOLAR CABLE
SB-700-192 D



Forceps are supplied with 3m cable.
Available in Sterile/Non-Sterile packaging.
Sterilization by Ethylene Oxide (EO).

More designs are available in Disposable
Bipolar Forceps.
Use 210-Series with any regular Bipolar
Forceps for conversion into Disposable Bipolar
Forceps.



JEWELER #5
SB-700-195



DISPOSABLE BIPOLAR CABLE SB-
700-213 D



STRAIGHT FORCEPS
SB-700-200



BAYONET FORCEPS
SB-700-205



STRAIGHT FORCEPS
(Disposable without cable)
SB-700-210



STRAIGHT ANG (Disposable
without cable)
SB-700-215

Forceps are supplied with 3m cable.
Available in Sterile/Non-Sterile packaging.
Sterilization by Ethylene Oxide (EO).
Available in Everycolor

More designs are available in Disposable
Bipolar Forceps.
Use 210-Series with any regular Bipolar
Forceps for conversion into Disposable Bipolar
Forceps.



TUNER WARWICK (STR.) SB-
SB-700-220



TUNER WARWICK (CRV.)
SB-700-225



SURGICAL SCISSORS (STR.)
SB-700-230



SURGICAL SCISSORS (CRV.)
SB-700-235



WILSON HEY FORCEPS (STR.)
SB-700-240



WILSON HEY FORCEPS (CRV.)
SB-700-245



ARTERY FORCEPS (STR.))
SB-700-250



ARTERY FORCEPS (CRV.)
SB-700-255



ABBEY NEEDLE (17.5 cm)
SB-700-260



RICHIE FORCEPS (STR.)
SB-700-260

(Male 4.8 mm CONNECTOR)

Cat #	Description	Size
SB-700-220	Tuner Warwick str 17.8 cm English monopolar male 4.8 mm	7" (17.8 cm)
SB-700-222	Tuner Warwick str 17.8 cm English monopolar male 4.8 mm	9" (23.0 cm)
SB-700-230	Surgical sicissors Düz 17.8 cm English monopolar male 4.8 mm girişli	7" (17.8 cm)
SB-700-232	Surgical sicissors Düz 23 cm English monopolar male 4.8 mm girişli	9" (23.0 cm)
SB-700-240	Wilson Hey Forceps Düz 17.8 cm English monopolar male 4.8 mm girişli	7" (17.8 cm)
SB-700-242	Wilson Hey Forceps Düz 23 cm English monopolar male 4.8 mm girişli	9" (23.0 cm)
SB-700-250	Artery forceps Düz 17.8 cm English monopolar male 4.8 mm girişli	7" (17.8 cm)
SB-700-252	Artery forceps Düz 17.8 cm English monopolar male 4.8 mm girişli	9" (23.0 cm)
SB-700-260	Richie forceps 17.8 cm English monopolar male 4.8 mm girişli	7" (17.8 cm)
SB-700-262	Richie forceps 23 cm English monopolar male 4.8 mm girişli	9" (23.0 cm)

Cat #	Description	Size
SB-700-225	Tuner Warwick (Crv.) 17.8 cm English monopolar male 4.8 mm girişli	7" (17.8 cm)
SB-700-227	Tuner Warwick (Crv.) 23 cm English monopolar male 4.8 mm girişli	9" (23.0 cm)
SB-700-235	Surgical sicissors (Crv.) 17.8 cm English monopolar male 4.8 mm girişli	7" (17.8 cm)
SB-700-237	Surgical sicissors (Crv.) 23 cm English monopolar male 4.8 mm girişli	9" (23.0 cm)
SB-700-245	Wilson Hey Forceps (Crv.) 17.8 cm English monopolar male 4.8 mm girişli	7" (17.8 cm)
SB-700-247	Wilson Hey Forceps (Crv.) 23 cm English monopolar male 4.8 mm girişli	9" (23.0 cm)
SB-700-255	Artery forceps (Crv.) 17.8 cm English monopolar male 4.8 mm girişli	7" (17.8 cm)
SB-700-257	Artery forceps (Crv.) 17.8 cm English monopolar male 4.8 mm girişli	9" (23.0 cm)
SB-700-265	Richie forceps 17.8 cm English monopolar male 4.8 mm girişli	7" (17.8 cm)
SB-700-267	Richie forceps 23 cm English monopolar male 4.8 mm girişli	9" (23.0 cm)



**ADSON
SB-700-265**



**McINDOE
SB-700-270**



**GILLIES
SB-700-275**



**DISSECTING
SB-700-280**



**GERALD (1x2)
SB-700-285**



**ADSON BAYONETS
SB-700-290**



**ADSON BAYONET (ANG. UP)
SB-700-295**



**REMINGTON HOBBS
SB-700-300**

Cat#	Description	Tip (mm)	Size
SB-700-265	Adson (x) ceramhi forceps 12 cm	1.0	4" (10.2 cm)
SB-700-270	McINDOE (x) ceramhi forceps 15 cm	1.0-2.0	6" (15 cm)
SB-700-275	Gillies (x) ceramhi forceps 15 cm	-	6" (15 cm)
SB-700-280	Gillies (x) ceramhi forceps 17.8 cm	-	7" (17.8 cm)
SB-700-285	Gillies (x) ceramhi forceps 20 cm	-	8" (20 cm)
SB-700-290	Gillies (x) ceramhi forceps 24 cm	-	9" (24 cm)
SB-700-295	Dissecting (x) ceramhi forceps 15 cm	1.0-2.0	6" (15 cm)
SB-700-300	Dissecting (x) ceramhi forceps 17.8 cm	1.0-2.0	7" (17.8 cm)

Cat#	Description	Tip (mm)	Size
SB-700-265	Adson (x) ceramhi forceps 12 cm	1.0	4" (10.2 cm)
SB-700-270	McINDOE (x) ceramhi forceps 15 cm	1.0-2.0	6" (15 cm)
SB-700-275	Gillies (x) ceramhi forceps 15 cm	-	6" (15 cm)
SB-700-280	Gillies (x) ceramhi forceps 17.8 cm	-	7" (17.8 cm)
SB-700-285	Gillies (x) ceramhi forceps 20 cm	-	8" (20 cm)
SB-700-290	Gillies (x) ceramhi forceps 24 cm	-	9" (24 cm)
SB-700-295	Dissecting (x) ceramhi forceps 15 cm	1.0-2.0	6" (15 cm)
SB-700-300	Dissecting (x) ceramhi forceps 17.8 cm	1.0-2.0	7" (17.8 cm)
SB-700-305	Dissecting (x) ceramhi forceps 21 cm	1.0-2.0	8" (21 cm)
SB-700-310	Dissecting (x) ceramhi forceps 24.1 cm	1.0-2.0	9" (24.1 cm)
SB-700-315	Gerald (x) ceramhi forceps 17.8 cm	-	7" (17.8 cm)
SB-700-320	Adson bayonet (x) ceramhi forceps 15 cm	1.0-2.0	6" (15 cm)
SB-700-325	Adson bayonet (x) ceramhi forceps 19.1 cm	1.0-2.0	7" (19.1 cm)
SB-700-330	Adson Bayonet angled up (x) ceramhi forceps 15 cm	1.0-2.0	6" (15 cm)
SB-700-335	Adson Bayonet angled up (x) ceramhi forceps 19.1 cm	1.0-2.0	7" (19.1 cm)
SB-700-340	Adson Bayonet angled up (x) ceramhi forceps 21 cm	1.0-2.0	8" (21 cm)
SB-700-345	Remington Hobb (x) ceramhi forceps 24.1 cm	1.0-2.0	9" (24.1 cm)

Cat#	Description	Tip (mm)	Size
SB-700-265	Adson (x) ceramhi forceps 12 cm	1.0	4" (10.2 cm)
SB-700-270	McINDOE (x) ceramhi forceps 15 cm	1.0-2.0	6" (15 cm)
SB-700-275	Gillies (x) ceramhi forceps 15 cm	-	6" (15 cm)
SB-700-280	Gillies (x) ceramhi forceps 17.8 cm	-	7" (17.8 cm)
SB-700-285	Gillies (x) ceramhi forceps 20 cm	-	8" (20 cm)
SB-700-290	Gillies (x) ceramhi forceps 24 cm	-	9" (24 cm)
SB-700-295	Dissecting (x) ceramhi forceps 15 cm	1.0-2.0	6" (15 cm)
SB-700-300	Dissecting (x) ceramhi forceps 17.8 cm	1.0-2.0	7" (17.8 cm)
SB-700-305	Dissecting (x) ceramhi forceps 21 cm	1.0-2.0	8" (21 cm)
SB-700-310	Dissecting (x) ceramhi forceps 24.1 cm	1.0-2.0	9" (24.1 cm)
SB-700-315	Gerald (x) ceramhi forceps 17.8 cm	-	7" (17.8 cm)
SB-700-320	Adson bayonet (x) ceramhi forceps 15 cm	1.0-2.0	6" (15 cm)
SB-700-325	Adson bayonet (x) ceramhi forceps 19.1 cm	1.0-2.0	7" (19.1 cm)
SB-700-330	Adson Bayonet angled up (x) ceramhi forceps 15 cm	1.0-2.0	6" (15 cm)
SB-700-335	Adson Bayonet angled up (x) ceramhi forceps 19.1 cm	1.0-2.0	7" (19.1 cm)
SB-700-340	Adson Bayonet angled up (x) ceramhi forceps 21 cm	1.0-2.0	8" (21 cm)
SB-700-345	Remington Hobb (x) ceramhi forceps 24.1 cm	1.0-2.0	9" (24.1 cm)

Cat#	Description	Tip (mm)	Size
SB-700-265	Adson (x) ceramhi forceps 12 cm	1.0	4" (10.2 cm)
SB-700-270	McINDOE (x) ceramhi forceps 15 cm	1.0-2.0	6" (15 cm)
SB-700-275	Gillies (x) ceramhi forceps 15 cm	-	6" (15 cm)
SB-700-280	Gillies (x) ceramhi forceps 17.8 cm	-	7" (17.8 cm)
SB-700-285	Gillies (x) ceramhi forceps 20 cm	-	8" (20 cm)
SB-700-290	Gillies (x) ceramhi forceps 24 cm	-	9" (24 cm)
SB-700-295	Dissecting (x) ceramhi forceps 15 cm	1.0-2.0	6" (15 cm)
SB-700-300	Dissecting (x) ceramhi forceps 17.8 cm	1.0-2.0	7" (17.8 cm)
SB-700-305	Dissecting (x) ceramhi forceps 21 cm	1.0-2.0	8" (21 cm)
SB-700-310	Dissecting (x) ceramhi forceps 24.1 cm	1.0-2.0	9" (24.1 cm)
SB-700-315	Gerald (x) ceramhi forceps 17.8 cm	-	7" (17.8 cm)
SB-700-320	Adson bayonet (x) ceramhi forceps 15 cm	1.0-2.0	6" (15 cm)
SB-700-325	Adson bayonet (x) ceramhi forceps 19.1 cm	1.0-2.0	7" (19.1 cm)
SB-700-330	Adson Bayonet angled up (x) ceramhi forceps 15 cm	1.0-2.0	6" (15 cm)
SB-700-335	Adson Bayonet angled up (x) ceramhi forceps 19.1 cm	1.0-2.0	7" (19.1 cm)
SB-700-340	Adson Bayonet angled up (x) ceramhi forceps 21 cm	1.0-2.0	8" (21 cm)
SB-700-345	Remington Hobb (x) ceramhi forceps 24.1 cm	1.0-2.0	9" (24.1 cm)

SB-132	Dissecting (x) ceramhi forceps 17.8 cm	1.0-2.0	7" (17.8 cm)
SB-134	Dissecting (x) ceramhi forceps 21 cm	1.0-2.0	8" (21 cm)
SB-136	Dissecting (x) ceramhi forceps 24.1 cm	1.0-2.0	9" (24.1 cm)
SB-140	Gerald (x) ceramhi forceps 17.8 cm	-	7" (17.8 cm)
SB-150	Adson bayonet (x) ceramhi forceps 15 cm	1.0-2.0	6" (15 cm)
SB-152	Adson bayonet (x) ceramhi forceps 19.1 cm	1.0-2.0	7" (19.1 cm)
SB-160	Adson Bayonet angled up (x) ceramhi forceps 15 cm	1.0-2.0	6" (15 cm)
SB-162	Adson Bayonet angled up (x) ceramhi forceps 19.1 cm	1.0-2.0	7" (19.1 cm)
SB-164	Adson Bayonet angled up (x) ceramhi forceps 21 cm	1.0-2.0	8" (21 cm)
SB-170	Remington Hobb (x) ceramhi forceps 24.1 cm	1.0-2.0	9" (24.1 cm)



ARTERY SEALER
SB-700-305



ARTERY SEALER (NON-STICK)
SB-700-310NS



DETACHABLE CONNECTING CABLE SB-
700-315



ARTERY SEALER
SB-700-320



ARTERY SEALER (NON-STICK)
SB-700-325 NS



ARTERY SEALER
SB-700-335



ARTERY SEALER
SB-700-330

Cat#	Description	Size
SB-700-305	Damer kapatma Bipolar	10" (25 cm)
SB-700-320	Damer kapatma Bipolar	9 1/2" (24 cm)
SB-700-330	Damer kapatma Bipolar	6 1/2" (16 cm)
SB-700-332	Damer kapatma Bipolar	7 1/2" (19 cm)
SB-700-334	Damer kapatma Bipolar	8 1/2" (22 cm)
SB-700-335	Damer kapatma Bipolar	9 1/2" (24 cm)
SB-700-338	Damer kapatma Bipolar	10" (25 cm)
SB-700-315	Silikon Bipolar Kablo	10' (3 m)

Cat#	Description	Size
SB-700-340	Bipolar Electrode	18 cm
SB-700-342	Bipolar Electrode	20 cm
SB-700-344	Bipolar Electrode	22 cm
SB-700-346	Bipolar Electrode	27 cm
SB-700-350	Angled Bipolar Electrode	18 cm
SB-700-352	Angled Bipolar Electrode	20 cm
SB-700-354	Angled Bipolar Electrode	22 cm
SB-700-356	Angled upward Bipolar Electrode	18.5 cm
SB-700-358	Angled upward Bipolar Electrode	20 cm
SB-700-370	Angled 45° Bipolar Electrode	19 cm
SB-700-372	Angled 90° Bipolar Electrode	18 cm



STRAIGHT
SB-700-340

ANGLED
(Upward Tip)
SB-700-345


ANGLED
SB-700-350

ANGLED 45°
SB-700-355


ANGLED 90°
SB-700-360



BI-TURBinate PROBE (17.5 cm)
SB-700-380



Cat#	Description	Size
SB-700-360	Bipolar Electrode	18 cm
SB-700-362	Bipolar Electrode	20 cm
SB-700-364	Bipolar Electrode	22 cm
SB-700-365	Bipolar Electrode	27 cm
SB-700-410	Angled Bipolar Electrode	18 cm
SB-700-412	Angled Bipolar Electrode	20 cm
SB-700-414	Angled Bipolar Electrode	22 cm
SB-700-400	Angled upward Bipolar Electrode	16.5 cm
SB-700-402	Angled upward Bipolar Electrode	20 cm
SB-700-430	Angled 45d Bipolar Electrode	18 cm
SB-700-430	Angled 90d Bipolar Electrode	16 cm



STRAIGHT
SB-700-365

ANGLED
(Upward Tip)
SB-700-370

ANGLED
SB-700-375

ANGLED 45°
SB-700-380

ANGLED 90°
SB-700-385



SILICONE BIPOLAR CABLE

SB-710-100-3M SB-710-105-5M

Instrument Connector : USA 2-Pin Plug

Generator Connector : 4mm Banana Plug

Compatibility: Valleylab, Conmed, Codman, Olympus & Most Bipolar Generator



SILICONE EUROPEAN BIPOLAR CABLE

SB-710-110-3M SB-710-115-5M

Instrument Connector : European Flat Plug

Generator Connector : 4mm Banana Plug

Compatibility: Valleylab, Conmed, Codman, Olympus & Most Bipolar Generator



SILICONE EUROPEAN BIPOLAR CABLE

SB-710-120-3M SB-710-125-5M

Instrument Connector : European Flat Plug

Generator Connector : Martin Type

Compatibility: Aesculap, Martin, Bercitold, Wolf



SILICONE BIPOLAR CABLE

SB-710-130-3M SB-710-135-5M

Instrument Connector : USA 2-Pin Plug

Generator Connector : Martin Type

Compatibility: Aesculap, Martin, Bercitold, Wolf



SILICONE EUROPEAN BIPOLAR CABLE

SB-710-140-3M SB-710-145-5M

Instrument Connector : European Flat Plug

Generator Connector : Erbe Type

Compatibility: Erbe, Cowins, Siemens



SILICONE BIPOLAR CABLE
SB-710-150-3M SB-700-155-5M
Instrument Connector : USA 2-Pin Plug
Generator Connector : Erbe Type
Compatibility: Erbe, Downs, Siemens



SILICONE EUROPEAN BIPOLAR CABLE
SB-710-160-3M SB-710-165-5M
Instrument Connector : European Flat Plug
Generator Connector : Pin Distance 29mm
Compatibility: Valleylab, EMO, Doly



SILICONE BIPOLAR CABLE
SB-710-170-3M SB-710-175-5M
Instrument Connector : USA 2-Pin Plug Generator
Connector : Pin Distance 29mm
Compatibility: Valleylab, EMO, Doly



SILICONE BIPOLAR CABLE
SB-710-180-3M SB-710-185-5M
Instrument Connector : Bipolar Artery Sealer
Generator Connector : 4mm Banana Plug
Compatibility: Valleylab, Conmed, Codman, Olympus & Most Bipolar Generator



SILICONE BIPOLAR CABLE
SB-710-190-3M SB-710-195-5M
Instrument Connector : Ethicon
Generator Connector : 4mm Banana Plug
Compatibility: Valleylab, Conmed, Codman, Olympus & Most Bipolar Generator



SILICONE MONOPOLAR CABLE

SB-710-200-3M SB-710-205-5M

Instrument Connector : Screw Type

Generator Connector : Standart Bovie® 8mm Plug

Compatibility: Valleylab, Conmed, Bovie®



SILICONE MONOPOLAR ENDOSCOPIC CABLE

SB-710-210-3M SB-710-215-5M

Instrument Connector : 4mm Female Fitting

Generator Connector : Standart Bovie® 8mm Plug

Compatibility: Valleylab, Conmed, Bovie®



SILICONE MONOPOLAR ENDOSCOPIC CABLE

SB-710-220-3M SB-710-225-5M

Instrument Connector : 4mm Female Fitting Generator

Connector : Standart 4mm Banana Plug

Compatibility: Most ES Generators



SILICONE DIATHERMY CABLE

SB-710-230-3M SB-710-235-5M

Instrument Connector : 4mm Male Fitting (European Diathermy)

Generator Connector : Standart 4mm Banana Plug

Compatibility: Most ES Generators



SILICONE DIATHERMY CABLE

190-280-3M 190-280-5M

Instrument Connector : 4.8mm Female Fitting (English Diathermy)

Generator Connector : Standart 4mm Banana Plug

Compatibility: Most ES Generators



SILICONE DIATHERMY CABLE

SB-710-240-3M SB-710-245-5M

Instrument Connector : 4.8mm Female Fitting (English Diathermy)

Generator Connector : Standart Bovie® 8mm Plug

Compatibility: Valleylab, Conmed, Bovie®



ROCKER-SWITCH PENCIL
Single Use
SB-710-250 (3m Cable)



FOOT CONTROL PENCIL
Single Use
SB-710-255 (3m Cable)
150-103 (5m Cable)



FINGER-SWITCH PENCIL
Reusable
SB-710-260 (3m Silicon Cable)



ELECTRODE HANDLE
Reusable
SB-710-265 (3m Silicon Cable)



FINGER-SWITCH PENCIL
Single Use
SB-710-270 (3m Cable)
SB-710-275 (5m Cable)



					
Size	1.0 x 0.4 cm	1.0 x 0.5 cm	1.0 x 0.7 cm	1.0 x 0.8 cm	1.0 x 1.0 cm
Tek Kullanımlık	SB-730-100-04	SB-730-115-05	SB-730-130-07	SB-730-145-08	SB-730-160-10
Çok Kullanımlık	SB-730-105-04	SB-730-120-05	SB-730-135-07	SB-730-150-08	SB-730-160-10
Non-Stick	SB-730-110 NS	SB-730-125-05 NS	SB-730-140-07 NS	SB-730-155-08 NS	SB-730-165-10 NS



					
Size	1.0 x 0.5 cm	1.0 x 0.7 cm	1.0 x 0.8 cm	1.0 x 1.0 cm	1.0 x 1.5 cm
Tek Kullanımlık	SB-730-170-05	SB-730-185-07	SB-730-200-08	SB-730-215-10	SB-730-230-15
Çok Kullanımlık	SB-730-175-05	SB-730-190-07	SB-730-205-08	SB-730-220-10	SB-730-235-15
Non-Stick	SB-730-180-05 NS	SB-730-195-07 NS	SB-730-210-08 NS	SB-730-225-10 NS	SB-730-240-15 NS



						
Size	1.5 x 0.5 cm	1.5 x 0.7 cm	1.5 x 0.8 cm	1.5 x 1.0 cm	1.5 x 1.2 cm	1.5 x 1.5 cm
Tek Kullanımlık	SB-730-245-05	SB-730-260-07	SB-730-275-08	SB-730-290-10	SB-730-305-12	SB-730-320-15
Çok Kullanımlık	SB-730-250-05	SB-730-265-07	SB-730-280-08	SB-730-295-10	SB-730-310-12	SB-730-325-15
Non-Stick	SB-730-255-05 NS	SB-730-270-07 NS	SB-730-285-08 NS	SB-730-300-10 NS	SB-730-315-12 NS	SB-730-330-15 NS



						
Size	2.0 x 0.8 cm	2.0 x 1.0 cm	2.0 x 1.2 cm	2.0 x 1.3 cm	2.0 x 1.5 cm	2.0 x 2.0 cm
Tek Kullanımlık	SB-730-335-08	SB-730-350-10	SB-730-365-12	SB-730-380-13	SB-730-395-15	SB-730-410-20
Çok Kullanımlık	SB-730-340-08	SB-730-355-10	SB-730-370-12	SB-730-385-13	SB-730-400-15	SB-730-415-20
Non-Stick	SB-730-345-08 NS	SB-730-360-10 NS	SB-730-375-12 NS	SB-730-390-13 NS	SB-730-405-15 NS	SB-730-420-20 NS



BLADE ELECTRODE
Reusable: SB-740-100
Non-Stock: SB-740-100 NG



BLADE ELECTRODE CRV.
Reusable: SB-740-110
Non-Stock: SB-740-110 NG



NEEDLE ELECTRODE
Reusable: SB-740-120
Non-Stock: SB-740-120 NG



NEEDLE ELECTRODE CRV.
Reusable: SB-740-130
Non-Stock: SB-740-130 NG



BALL ELECTRODE (2mm)
Reusable: SB-740-140
Non-Stock: SB-740-140 NG



BALL ELECTRODE CRV (2mm)
Reusable: SB-740-150
Non-Stock: SB-740-150 NG



BALL ELECTRODE (3mm)
Reusable: SB-740-160
Non-Stock: SB-740-160 NG



BALL ELECTRODE CRV (3mm)
Reusable: SB-740-170
Non-Stock: SB-740-170 NG



BALL ELECTRODE (4mm)
Reusable: SB-740-180
Non-Stock: SB-740-180 NG



BALL ELECTRODE CRV (4mm)
Reusable: SB-740-190
Non-Stock: SB-740-190 NG



BALL ELECTRODE (5mm)
Reusable: SB-740-200
Non-Stock: SB-740-200 NG



BALL ELECTRODE CRV (5mm)
Reusable: SB-740-210
Non-Stock: SB-740-210 NG



BLADE ELECTRODE (Shaft 13cm)
Reusable: SB-740-220
Non-Stock: SB-740-220 NG



NEEDLE ELECTRODE (Shaft 13cm)
Reusable: SB-740-230
Non-Stock: SB-740-230 NG



BALL ELECTRODE 3mm (Shaft 13cm)
Reusable: SB-740-240
Non-Stock: SB-740-240 NG



BALL ELECTRODE 4mm (Shaft 13cm)
Reusable: SB-740-250
Non-Stock: SB-740-250 NG



BALL ELECTRODE 5mm (Shaft 13cm)
Reusable: SB-740-260
Non-Stock: SB-740-260 NG



ROUND LOOP ELECTRODE 4mm (7 cm)
Reusable: SB-740-270-04
Non-Stock: SB-740-270-04 NG



ROUND LOOP ELECTRODE 6mm (7 cm)
Reusable: SB-740-280-06
Non-Stock: SB-740-280-06 NG



ROUND LOOP ELECTRODE 8mm (7 cm)
Reusable: SB-740-290-08
Non-Stock: SB-740-290-08 NG



ROUND LOOP ELECTRODE 10mm (7 cm)
Reusable: SB-740-300-10
Non-Stock: SB-740-300-10 NG



PLATE ELECTRODE SMALL
Reusable: SB-740-310
Non-Stock: SB-740-310 NG



PLATE ELECTRODE LARGE
Reusable: SB-740-320
Non-Stock: SB-740-320 NG



					
Size	1.0 x 0.4 cm	1.0 x 0.5 cm	1.0 x 0.7 cm	1.0 x 0.8 cm	1.0 x 1.0 cm
Çok Kullanımlık	SB-740-330-04	SB-740-340-05	SB-740-350-07	SB-740-360-08	SB-740-370-10
Non-Stick	SB-740-335-04 NS	SB-740-345-05 NS	SB-740-355-07 NS	SB-740-365-08 NS	SB-740-375-10 NS



					
Size	1.0 x 0.5 cm	1.0 x 0.7 cm	1.0 x 0.8 cm	1.0 x 1.0 cm	1.0 x 1.5 cm
Çok Kullanımlık	SB-740-380-05	SB-740-390-07	SB-740-400-08	SB-740-410-10	SB-740-420-15
Non-Stick	SB-740-385-05 NS	SB-740-395-07 NS	SB-740-405-08 NS	SB-740-415-10 NS	SB-740-425-15 NS




						
Size	1.5 x 0.5 cm	1.5 x 0.7 cm	1.5 x 0.8 cm	1.5 x 1.0 cm	1.5 x 1.2 cm	1.5 x 1.5 cm
Çok Kullanımlık	SB-740-430-05	SB-740-440-07	SB-740-450-08	SB-740-460-10	SB-740-470-12	SB-740-480-15
Non-Stick	SB-740-435-05 NS	SB-740-445-07 NS	SB-740-455-08 NS	SB-740-465-10 NS	SB-740-475-12 NS	SB-740-485-15 NS



						
Size	2.0 x 0.8 cm	2.0 x 1.0 cm	2.0 x 1.2 cm	2.0 x 1.3 cm	2.0 x 1.5 cm	2.0 x 2.0 cm
Çok Kullanımlık	SB-740-490-08	SB-740-500-10	SB-740-510-12	SB-740-520-13	SB-740-530-15	SB-740-540-20
Non-Stick	SB-740-495-08 NS	SB-740-505-10 NS	SB-740-515-12 NS	SB-740-525-13 NS	SB-740-535-15 NS	SB-740-545-20 NS



PATIENT RETURN PLATE REUSABLE
BB-750-100 (5m cable)



PATIENT RETURN PLATE REUSABLE
BB-750-125 (5m cable)



PATIENT RETURN CABLE
BB-750-105 (5m cable)
BB-750-110 (5m cable)

PATIENT RETURN CABLE
BB-750-115 (5m cable)
BB-750-120 (5m cable)



S.S. PATIENT RETURN PLATE (16 x 12 cm)
BB-750-130



POLYPECTOMY SNARE (Single Use)
BB-750-135



MONOPOLAR
BB-750-140



BIPOLAR
BB-750-150



ERBE
BB-750-145



VALLEYLAB
BB-750-155



SILICONE RETURN PLATE
BB-750-160 (5m cable)
Aesculap, Martin, Bechtold, Wolf

WITHOUT SUCTION

L-HOOK ELECTRODE (36 cm)
SS-760-100

J-HOOK ELECTRODE (36 cm)
SS-760-105

NEEDLE ELECTRODE (36 cm)
SS-760-110

SPATULA ELECTRODE (36 cm)
SS-760-115

BALL ELECTRODE (36 cm)
SS-760-120



WITH SUCTION

L-HOOK ELECTRODE (36 cm)
SS-760-125

J-HOOK ELECTRODE (36 cm)
SS-760-130

NEEDLE ELECTRODE (36 cm)
SS-760-135

SPATULA ELECTRODE (36 cm)
SS-760-140

BALL ELECTRODE (36 cm)
SS-760-145





DRAGGER (12 cm)
BB-760-150



DRAGGER (18 cm)
BB-760-155



HOOK (12 cm)
BB-760-160



HOOK (18 cm)
BB-760-165



HOCKEY (12 cm)
BB-760-170



HOCKEY (18 cm)
BB-760-175



FRAZIER SUCTION TUBE 11 FRENCH (13.5 cm) BB-760-180



FRAZIER SUCTION TUBE 11 FRENCH (20.5 cm) BB-760-185



FRAZIER SUCTION TUBE 11 FRENCH (40.6 cm) BB-760-190



GRAVES VAGINAL SPECULUM
With Smoke Evacuation Tube

LARGE SB-770-100
MEDIUM SB-770-105
SMALL SB-770-110



DISPOSABLE TUBE
LARGE SB-770-
140-DT MEDIUM
SB-770-145-DT
SMALL
SB-770-150-DT



VU-MORE (GRAVES) SPECULUM
With Smoke Evacuation Tube

LARGE SB-770-180
MEDIUM SB-770-185



VU-MAX SPECULUM
With Smoke Evacuation Tube

GRAVES (MEDIUM) SB-770-115
PEDERSON (MEDIUM) SB-770-120



DISPOSABLE TUBE
GRAVES (MEDIUM) SB-
770-155-DT
PEDERSON (MEDIUM)
SB-770-160-DT



DISPOSABLE TUBE
LARGE SB-770-
190-DT
MEDIUM SB-770-
190-DT



PEDERSON VAGINAL SPECULUM
With Smoke Evacuation Tube

LARGE SB-770-125
MEDIUM SB-770-130
SMALL SB-770-135



DISPOSABLE TUBE
LARGE SB-770-165-DT MEDIUM
SB-770-170-DT SMALL SB-770-
175-DT



COLLINS SPECULUM
With Smoke Evacuation Tube

LARGE 8B-770-195
MEDIUM 8B-770-200
SMALL 8B-770-205



CUSCO SPECULUM
With Smoke Evacuation Tube

LARGE 8B-770-265
MEDIUM 8B-770-270
SMALL 8B-770-275



VEISMAN SPECULUM
Left Open

LARGE 8B-770-210
MEDIUM 8B-770-215



VEISMAN SPECULUM
Right Open

LARGE 8B-770-260
MEDIUM 8B-770-265

DRESSING FORCEPS

8B-770-220 (21 cm)
8B-770-225 (25 cm)



TISSUE FORCEPS

8B-770-230 (21 cm)
8B-770-235 (25 cm)



IRIS HOOK

8B-770-240 (25 cm)



EMMET HOOK

8B-770-245 (25 cm)



STRAIGHT HOOK

8B-770-250 (25 cm)



TWO-PRONG HOOK

8B-770-255 (25 cm)



THREE-PRONG HOOK

8B-770-260 (25 cm)





LATERAL VAGINAL RETRACTOR
BB-780-100



KOGAN ENDOCERVICAL SPECULUM
BB-780-108



3 mm BB-780-125



4 mm BB-780-130



5 mm BB-780-135



LATERAL RETRACTOR
(Wide Open)
BB-780-110



RIGBY RETRACTOR
BB-780-115



GELPI RETRACTOR
BB-780-120



SCHROEDER TANACULUM (24 cm) BB-780-140



SCHROEDER TANACULUM
BB-780-145



SINGLE TOOTH TANACULUM (24 cm) BB-780-150



CAMPION FORCEPS (22 cm) BB-780-155



RING FORCEPS (22 cm) BB-780-160



GRAVES VAGINAL SPECULUM
With Smoke Evacuation Tube

LARGE BB-790-100
MEDIUM BB-790-105
SMALL BB-790-110



PEDERSON VAGINAL SPECULUM
With Smoke Evacuation Tube

LARGE BB-790-115
MEDIUM BB-790-120
SMALL BB-790-125



COLLIN SPECULUM
With Smoke Evacuation Tube

LARGE BB-790-130
MEDIUM BB-790-135
SMALL BB-790-140



LATERAL VAGINAL RETRACTOR
BB-790-145



KOGAN ENDOCERVICAL SPECULUM



3 mm BB-790-150



4 mm BB-790-155



5 mm BB-790-160



GELPI RETRACTOR
BB-790-165



RIGBY RETRACTOR
BB-790-170



SCHROEDER RETRACTOR
BB-790-175



IRIS HOOK
BB-790-180



EMMETT HOOK
BB-790-185



STRAIGHT HOOK
BB-790-190



TWO-PRONG HOOK
BB-790-195



THREE-PRONG HOOK
BB-790-200

WARRANTY

All our instruments are guaranteed 5 years to be free from defects in material or workmanship. Should a defect be found, the instrument will be replaced with any instrument of equal value that you choose.

PRODUCT LIABILITY

All our Reusable Forceps are made by Medical Stainless Steel 316 L and all our instruments cable are made by simetric cable for having same energie for both side and durable for maximum 600 V highest Voltage.

All our instrument are manufactured to meet the highest quality standard. We cannot accept any liability for the failure of products which have been modified in any way from their original state or for any failure due to misuse or application which is not in accordance with the designer's intention.

COMPATIBILITY

All our instruments are compatible with almost all electrosugical generators currently on the market.

CUSTOM MANUFACTURING

We can also custom manufacture any insturment according to your particular design and specifications. We welcome inquiry of instruments not show in our catalog.

AUTOCLAVE

All our reusable instruments are completely autoclave able. For further information see manufacturer's recomendations for sterilization and AAMI standarts for hospital steam sterilization.

Below are some generally accepted guidelines for sterilizing reusable instruments.

STEAM - Steam autoclave at 250°F / 121°C for 20 minutes.

FLASH - steam autoclave at 275°F / 134°C for 10 minutes.

GAS(ETO) - follow the manufacturer's guide for the unit which you are using.

DELIVERY

Normally 30 days of the receipt of purchase order.



CE 1639



Arcadia14 Medical Supplies Ltd.
Hill House, Office 117, 210 Upper Richmond
Road, Putney, London SW15 6NP
Phone: +44 203 488 3521
Enquires: info@arcadia14.co.uk
Sales: sales@arcadia14.co.uk

Partners With

